

SUMMER 2016 COMMERCIAL CATALOG



EQUIPMENT | NETWORKED FITNESS | ENTERTAINMENT | EDUCATION | SERVICES



CONTENTS

Who is Precor?	2
Why Precor?	4
How does Precor do it?	7
Education	14
Precor Coaching Center	15
Consoles & Entertainment Options	19
Consoles	20
Entertainment Solutions	22
Preva® Networked Fitness	23
Indoor Cycling	28
Cardio Equipment	32
Treadmills	34
Elliptical Fitness Crosstrainers™ (EFX®)	35
Adaptive Motion Trainers® (AMT®)	36
Bikes	38
Climber	39
Experience™ Series 880 Line	40
Experience™ Series 830 Line	44
Experience™ Series 810 Line	46
Assurance™ Series	48
Queenax [™] Functional Training	50
Strength Equipment	54
Discovery [™] Series Selectorized (DSL) Line	56
Discovery [™] Series Plate Loaded (DPL) Line	64
Discovery [™] Series Benches & Racks Line	70
Vitality [™] Series	74
Icarian [®] Strength Line	78
Icarian [®] Multi-Stations	81
Icarian [®] Benches and Racks	84
Product Overview	86

Our equipment creates a personalized experience with exercisers.

Our people create one with you.

Delivering innovative equipment that personalizes workout experiences is key to our business. But it's just as important in our culture to listen to and develop relationships with operators.

Our people embrace the fact that we are in this together.



Part of a Premier Global Company

Precor is a proud member of **Amer Sports Corporation**, one of the leading sporting goods companies in the world. Through continuous research and development, Amer Sports seeks to develop new and better sporting goods that appeal to consumers and its trade customers.

Its portfolio of internationally recognized brands includes Salomon[®], Wilson[®], Suunto, ATOMIC, Arc'teryx and Mavic[®].

All the products of Amer Sport's affiliate brands are designed to improve the performance of all athletes – from beginners to professionals – to help them achieve their goals, and provide them with more enjoyment from their activity of choice.

The company's technically advanced sports equipment, footwear and apparel improve performance and increase the enjoyment of a wide range sports and outdoor activities including tennis, badminton, golf, American football, soccer, baseball, basketball, skiing, snowboarding, fitness training, cycling, running, hiking, and diving.



Our commitment to innovation began in 1980.

But we believe we're just getting started.

FOR US **THE WORKOUT** IS NEVER OVER.


RECOR



Precor A proud history of innovation

Take a moment and think how far the fitness industry has come in the past 35 years. Consider all the ways it's grown and truly come into its own. Fitness is a cultural force. It's a movement – one we joined as a proud participant in 1980.

We began by launching the first ergonomically sound rowing machine, and we've been moving with the natural motion of the human body ever since. Every breakthrough product and service we've brought to the industry has always put fitness first.



We don't make Precor equipment for millions of people.

We make it for each person who uses it.

At Precor we never lose sight of the fact that individuals use our products.

Somewhere, in a health club, or exercise room at a hotel, or in their home, there is a person who is trying to get stronger, fitter and healthier.



Designing premium fitness experiences

We develop products to meet a need. When we design something new, we make sure it's highly reliable, uncomplicated, and easy to service.

Distinctively engineered with a reputation second to none, our cardiovascular and strength equipment is truly world class. With the hallmarks of revolutionary and innovative design, every machine provides a uniquely smooth alignment of exercise with human movement.



Greg May VP of Engineering and Manufacturing






There is one thing that goes into our equipment that no one can copy:

Our culture of supporting operators.

We believe our role is to work with operators to break down the barriers to fitness. The better we are at making exercise accessible and effective—the more lives we can change.

And healthy lives result in healthy business for us all.





We're committed to the health and fitness of your company.

We're into fiscal fitness as much as physical fitness.

That's why we design and build our equipment to last, to be easy to maintain, and have service programs in place to solve problems if and when they come up.



Planning and Design Creating great workout environments

Our complete, customized approach to design enables you to create a totally unique fitness environment that reflects your membership profile and represents the aspirations of your business.

We offer a comprehensive design service including:

- Complete design and project management
- Visualization using 2D and 3D graphics
- Inspirational use of space and natural light
- Custom design tailored to individual requirements
- User flow and preference consideration
- Access and accessibility as defined by ADA
- Audio/Visual planning

Financing and Leasing The smart way to a better deal

We realize that every business is unique. This is why we have dedicated, experienced professionals working with you and in strategic partnerships with many financial institutions, to assemble a financing/lease package that meets the needs of your business.

- We have highly knowledgeable and experienced staff to help you make the right decisions for your business.
- We can offer a variety of financing solutions.
- We are committed to providing you with a fast, efficient and enjoyable financing experience.

For more information, please contact your Precor representative or one of the team of Precor Finance/Leasing professionals. Let us help you create a financing package that works for you.



Service and Support Adding predictability to your equipment ownership experience

Helping you keep your business running smoothly is a top priority for us. Our warranties and extended warranties provide comprehensive coverage from the start. Adding preventative maintenance keeps your equipment running in top shape and when your warranty expires, we offer service agreement options that keep your equipment going. Our payment programs take the surprises and guesswork out of your equipment maintenance and repair.

Our service packages include:

- Precor authorized servicers that offer proven performance.*
- 97% of service requests are dispatched within 24 hours.
- Service rated +90% by customers over competitors.
- Our off-the-shelf parts availability is 97%.


Delivery and Installation Professional attention to every detail

The moment you place your order, we begin the process of making sure you're completely satisfied. From pre-install site surveys to equipment training and documentation at installation, our team provides first-class communication and attention to detail.

Our extensive network of equipment and AV installers spans the world. We provide them with ongoing service and technical training, widely recognized as the most comprehensive in the industry, so you can be assured of our high standards for a quality installation.







Education

Check out our education and training resources at: **www.precor.com/coaching-center**

Precor Coaching Center

Get more out of your Precor equipment with video tutorials, downloadable workouts, online training courses and onsite workshops. Enjoy easy access to our growing library of Precor training materials that will support your trainers and motivate your exercisers.

Our Philosophy

Our mission at the Precor Coaching Center is to help your training staff and exercisers get the most out of your Precor equipment. Whether your trainers have five minutes between clients to catch up on the latest training trends applied to Precor equipment, or you are looking for in-depth onsite training workshops to teach your staff how to drive programming on the equipment, we offer a solution.

Our content is developed by industry experts and organizations, aligns with industry trends and is targeted for different types of audiences: exercisers, operators, fitness professionals and service providers.






www.precor.com/coaching-center

Online Education Support

The Precor Coaching Center is your one-stop shop for the latest Precor Education and Training resources. Content is divided into four categories for different audiences so you can quickly access the material that is most relevant to your training and your business. We invite you to explore our education channels that are uniquely designed to provide best-in-class proven and personalized content.



Top Features:

- Available in 6 languages, accessible 24/7 from anywhere in the world
- Free of charge, open access content at your finger tips
- Intuitive navigation optimized for fitness professionals, operators, exercisers and service providers
- Regular content updates provided by Precor's coaching team and leading industry educators
- Content is driven by industry trends and fundamental exercise principles
- Video and PDF content is designed for the time-sensitive fitness educator



Workouts & Training Programs

Have 3 minutes? Check out our short Trainer Tips videos that explore hot topics in the industry applied on Precor equipment. Once you watch the video, you can download the associated workout template and coaching guide to start implementing part or all of the content with your clients. Our library also features an assortment of programs available exclusively in PDF format for fast access.











Get Ready for Your Next Distance Run with ACE Treadmill Training Tips

VIEW ALL

Onsite Education Support

In addition to open access content online, Precor offers onsite training workshops with our elite Master Coach team. Master Coaches travel onsite to your facility to deliver half or full day CEC-approved training workshops. Precor provides training manuals and art work for in-club marketing materials to support program launches in your facility. Operators can work with their local sales representative to purchase a training.

Check out the **Precor Coaching Center** for the latest updates on onsite training offerings.




"Why" we make Precor equipment is just as important as "What" we make.

Creating products that welcome all kinds of people is our job.

By making equipment that is a joy to use and fuels the desire to get fitter, we're making tools that help people live the lives they desire.





Console and Entertainment Options

In this digital world, entertainment and information are powerful tools for creating an engaging environment. Whether you're considering the Precor 880, 830, 810 or Assurance[™] Series of cardio equipment, great console and entertainment options await.

Console Options

Four distinct cardio options, four ways of creating a cardio floor that keeps exercisers coming back again and again.

The **Experience[™] Series** features three lines of innovative and reliable cardio equipment with consoles backed by tens of thousands of hours of testing in the field to ensure proven performance that facilities can count on. The 'heads up' positioning of all the consoles ensures proper biomechanics and posture during the workout.

The three distinct lines of the Experience[™] Series include:

880 Line – The P82 console seamlessly combines a fitness, television and internet experience into one simple design that attracts new members and helps to motivate existing exercisers to keep coming back to your facility.

830 Line – Designed to support exercisers in motion, the P30 console features a large LED display and motion controls along with mobile device charging for all mobile phones including those running Android[™], Apple[®], BlackBerry[™] and Windows[®] operating systems, and small MP3 players.

810 Line – An essentially featured console with a streamlined display and mobile device charging for all mobile phones running Android[™], Apple[®], BlackBerry[™] and Windows[®] operating systems, and small MP3 players.

Assurance[™] Series - The essentially featured Standard Console complements the Assurance Series line of cardio equipment, to deliver exceptional value along with club level innovations, proven mechanical designs and durability.

	Experience [™] Series			Assurance [™] Series
Cardio Line	880 Line	830 Line	810 Line	Assurance [™] Series
Console	E			
	P82 console	P30 console	P10 console	Standard console
Display Type	15″ LCD capacitive touch screen	Advanced LED display	Streamlined LED display	Streamlined LED display
Touch Screen	•	-	-	-
Machine Controls	Motion Controls	Motion Controls	Dome switch	Dome switch
Electronic Readouts	Full Screen	Advanced	Basic	Basic or Advanced
Languages on Console Software	English, French, Dutch, German, Italian, Portuguese (Iberian), Russian, Spanish, Chinese, Japanese, Korean	English, French, Dutch, German, Italian, Portuguese (Brazilian), Russian, Spanish, Japanese	English, French, Dutch, German, Italian, Portuguese (Brazilian), Russian, Spanish	English, French, Dutch, German, Italian, Portuguese, Russian, Spanish
Network Capable	•	-	-	-
Personal Viewing System (PVS)	Viewing screen embedded	15" PVS (optional)	15" PVS (optional)	15" PVS (optional)
Mobile Device Charger	•	•	•	
Reading Rack	Standard	Standard	Standard	Standard
Media Adapter	P80 Only	-	-	-



Entertainment Solutions Options for the Precor cardio lines

If you're considering the Precor 830, 810, or Assurance[™] Series cardio equipment, great entertainment options await. The console in each line includes an entertainment cap for providing your members a selection of audio channels, such as those available from your mounted televisions.

You can also create an even more immersive experience by adding a Personal Viewing System (PVS) allowing members to watch video from your entertainment system, up close while they work out. Our mobile device charger also enables members to charge their phones, tablets and other devices at the same time.







*Not available on Assurance Series consoles.





YOUR GOALS. YOUR WORKOUT.

Set and track progress with your own Preva[®] account.

Preva is offered exclusively on Precor[®] touch screen cardio equipment

Set your goal

Create and replay custom workouts!

Track progress and celebrate achievement









Workouts



Networked P80 Consoles

Networked Sites

Networked

+3K +45K

Recorded 221M Countries 72

Networked Fitness

Networked fitness helps connect people to their fitness journey, engaging exercisers with a personalized fitness experience, both in and outside the gym. These technologies are also proven to help you to better manage your business with solutions that help drive revenue, attract members, increase retention and provide enhanced cardio asset management.



Designed for fitness results

The combination of the P82 console and Preva[®] Networked Fitness allows you to deliver an engaging and effective fitness experience to your exercisers.

Built with the Precor 'Fitness is Foremost' philosophy, the heads-up console and the user interface focus specifically on in-motion exercisers, eliminating distractions, while keeping usability the main priority.

Console features and functionality are only accessible during a workout, keeping your equipment from becoming an internet kiosk.

The P82 console comes complete with a **workout library** of pre-programmed workouts designed for fitness goals. A daily **Featured Workout** helps to combat boredom and increase results.

Introduced in 2011, Preva is now the chosen solution for over 3,500 facilities in 72 countries.



Proven to work for operators

Preva provides you with powerful tools that increase attraction, improve retention, drive revenue and optimize your cardio equipment management.

Attract: The elegant design and fitness focused features provide a 'wow' factor to new and existing exercisers.

One club saw a 70% increase in new membership sales one month after installing Preva in their facility. Another club saw a membership increase of 35% in the first 3 months following the introduction of Preva Personal Accounts.

Retain: The state-of-the-art console and features like Preva Accounts, Messaging and Exerciser Activity Reports are proven to keep members returning to your gym.

One facility saw a 20% increase in retention over the year prior after installing Preva. Another club experienced a 25% increase in membership renewals year on year due to Preva. One operator even reported that their membership renewals were up 20% in a Preva installed club compared with a similar non-Preva installed club.

Earn: Preva In-Touch is a great way to engage with your exercisers with tools like Welcome Screen messages, Workout Messages and Facility Feeds. Preva In-touch helps drive promotions and educate exercisers directly on the console.

In a recent study, one facility increased monthly revenue by \$900 through a workout message promotion.

Optimize Equipment: With Preva Business Suite, you can access real-time equipment usage insights, trends, and reports that help you make well-informed decisions around utilization, maintenance, and purchasing of equipment.



Preva Tokens now available for quick and easy Preva account sign-in.

26

Engages exercisers with personalized experiences

Preva Net: Preva Net provides in-motion exercisers with the best Internet content in a format that is extremely easy to navigate and read during workouts. Exercisers can enjoy an extensive variety of topics including: fitness and health, news, sports, technology, business and more. If you choose, you can also give exercisers fast access to a web browser.

Personal Accounts: Exercisers can set and track weekly workout goals, receive fun achievement badges, and save their favorite workouts for replay at another time. With **Preva Tokens** that use RFID technology, exercisers can sign into their Preva Account with a quick touch. In addition, the Exerciser Activity Report lets your staff see the activity that Preva Account holders are doing in your facility. This can aid their personal training services, help drive targeted communications as well as enabling you to set and track member exercise challenges and competitions.

Studies show that exercisers with a Preva Account, goals, and a Preva Token workout on average four times more often than those without. In a recent survey, 75% of exercisers agreed that Preva helps them to achieve their personal goals.*

Video on Demand (VOD): Exclusively from Precor, Video on Demand features easyto-access, popular YouTube content that's been hand-selected so exercisers don't have to slow or interrupt workout time "surfing" for it. Our Curator continually refreshes the system of 36 playlists with content that works well in an exercise environment, all at no extra cost. Exercisers agree that using VOD allows them to enjoy their workout, and their gym more and that VOD encourages them to work out longer.***

Preva Mobile App: Allows exercisers to access fitness history and track workouts from wherever they are, allowing you to provide value to them outside your facility. Available for both iOS and Android.



Preva partnerships

With the Preva open API platform Precor is committed to maximizing your business with meaningful exerciser experiences via a partner ecosystem that features compelling solutions to improve participation, increase retention and build revenue.

Precor concentrates primarily on partnerships that are 'best in class' in the industry, which offer real value to the operator. Being part of Amer Sports enables Precor to partner with the mobile app Movescount from our affiliate brand Suunto as well as others in the fitness industry.

Movescount is an advanced tracking app which allows you to plan routes, track your moves and share these with a community of like-minded outdoor fitness enthusiasts. Pairing Movescount with a Suunto watch like the Ambit3 turns it into a multifunctional smart watch. Or simply use your smart phone for tracking. Either way, Movescount is fully integrated with Preva, allowing exercisers to capture all their activity inside and outside of the fitness facility.













Indoor Cycling

Spinning[®], the creators of group indoor cycling, and Precor, the innovators of cardio, bring you an all-new line of Spinner[®] bikes that will raise your Spinning[®] classes to a whole new level.



SPINNER[®] Ride[™]

SPINNER[®] Shift[™]

SPINNER[®] Rally[™]

Introducing the All-New Line of Spinner[®] Bikes



The creators of group indoor cycling and the innovators of cardio bring you an all-new line of Spinner[®] bikes that will make your Spinning[®] classes even better. The three new bikes feature the reliability and durability you expect from Precor, backed by more than 25 years of industry insights, education and programming from Spinning.

These bikes were engineered to deliver a personalized ride while also improving fit, feel and longevity. Give your exercisers the riding experience they've always dreamed of with equipment and programming built for long-lasting results.

Spinner[®] Bikes by Precor



Spinner[®] Ride[™]

- Dimensions (L x W x H): 58 x 20.3 x 48 in (147.3 x 51.6 x 121.9 cm)
- Overall Weight: 124 lb / 56.4 kg
- Flywheel Weight: 43 lb / 19.5 kg
- Max User Weight: 350 lb / 158.7 kg
- Frame: Alloy Steel
- Frame Color: Metallic White
- Drive Options: Chain Drive or Poly-V Belt Drive



Spinner[®] Shift[™]

- Dimensions (L x W x H): 58 x 20.4 x 50 in (147.3 x 51.9 x 127 cm)
- Overall Weight: 140 lb / 63.5 kg
- Flywheel Weight: 43 lb / 19.5 kg
- Max User Weight: 350 lb / 158.7 kg
- Frame: Alloy Steel
- Frame Color: Charcoal
- Drive Options: Chain Drive or Poly-V Belt Drive



Spinner[®] Rally[™]

- Dimensions (L x W x H): 58 x 20.4 x 49.5 in (147.3 x 51.9 x 125.7 cm)
- Overall Weight: 126 lb / 57.1 kg
- Flywheel Weight: 43 lb / 19.5 kg
- Max User Weight: 350 lb / 158.7 kg
- Frame: Aluminum
- Frame Color: Semi-Gloss Metallic black
- Drive Options: Chain Drive or Poly-V Belt Drive



Spinning[®] Studio Console

- Optional on any Spinner[®] bike
- ANT+™ compatible heart rate monitor
- Readouts include:
 - Cadence (pedal RPM)
 - Heart rate/pulse
 - Time
 - Distance
 - Calories
 - Low battery indicator





Spintech Spinner® Bike Tool Kit

Spinning[®]Accessories

Keep your bikes in shape and clean with these bike accessories and maintenance tools also available from Precor.

- Trio® Pedal (threaded or Morse Taper)
- Trio QR[®] Pedal (threaded or Morse Taper)
- Spintech Spinner® Bike Tool Kit

Trio[®] QR[®] Pedal

Spinning Education & Programming

Bring the full Spinning[®] experience to your gym or studio by becoming an Official Spinning[®] Facility. With this scalable, turn-key solution, you can take advantage of the worldwide recognition of Spinning[®] and introduce a consistent program experience that builds community and loyalty among instructors and exercisers alike. This will drive member retention, attraction, efficiency and additional revenue to your facility.

Use the powerful, internationally recognized Spinning[®] brand on your website, facility signage, class schedule and marketing materials, and get the best consultation from industry leaders to keep you ahead of the competition.

Education Options	Description
Spinning [®] Instructor Certification	Become an Official Spinning [®] Facility and host a training that is open to the public. Spinning will promote and market the training, while handling all the administrative efforts.
Spinning [®] Instructor Certification - Exclusive	Host an exclusive on-site training for your instructors at your facility for 6+ participants.





Cardio Equipment

We design equipment that delivers premium, smooth-flowing personalized experiences, making it possible for more people to enjoy comfortable, engaging and effective workouts.

Precor cardio equipment by category

Adaptive Motion Trainers[®] (AMT[®]) – Our Adaptive Motion Trainer with Open Stride[™] is the only variable stride cardio equipment with adjustable step height allowing users to train in a variety of stride paths, including running, jogging and stepping. With one piece of equipment that creates an array of movement patterns, you can maximize valuable floor space and help members stay engaged in their workouts.

Elliptical Fitness Crosstrainers[™] (**EFX**[®]) – Our next-generation EFX[®] with Converging CrossRamp[®] technology delivers a low-impact workout with a stride that exercisers say "feels more natural."

Treadmills – Packed with innovations, our treadmill delivers optimal performance and durability for operators and unparalleled feel and quiet operation for exercisers. Equipped with an Active Status Light[™], facility staff is alerted to the operating status of the treadmills at glance.

Climber – The ergonomic design of our climber delivers a triedand-true, personalized and challenging workout, while optimizing space on your cardio floor.

Bikes – Both our upright and recumbent bikes feature great motion, biomechanically correct design that encourages proper form and appeal to a wide range of exercisers-- from the new exerciser to the seasoned athlete recovering from injury.





AMT®

EFX[®]





Treadmill

Climber



Upright Bike

Recumbent Bike

Treadmills Personalized performance for you and your exercisers

Meet the exacting needs of your exercisers with a treadmill that is personalized to match their every step.

Thoughtful design and performance deliver an exerciser experience that feels right and keeps them coming back. Our treadmill makes it easier for you to provide a customer-focused environment. Quiet and efficient, we've streamlined the assembly and included diagnostic tools to increase uptime and keep operating costs down.

- Active Status Light[™]* To increase uptime, an external status light lets you and your staff know at a glance the operating condition of your treadmill and when to perform life-extending maintenance.
- Power Factor Correction (PFC) * Our highly efficient 4 HP AC motor drives are optimized with PFC for increased efficiency, improved performance, and up to 30% reduction in energy consumption.
- Ground Effects[®] Impact Control System (GFX[®]) Our patented system combines ideal cushioning, support, and stability for exercisers. Our treadmill decks are designed to provide more absorption in the front where exerciser's feet hit the belt and added rigidity at the back for a firm push-off.
- Integrated Footplant Technology[™] (IFT[™]) Our unique, patented system recognizes exercisers natural foot speeds and matches every stride for an ultra-smooth feel that enhances exercisers' workout experience.



See it in action at: Precor.com/treadmills

*Not available on the Assurance[™] Series treadmills.

Elliptical Fitness Crosstrainers™ Natural movement, a low-impact stride motion and proven reliability

Give your members the ability to get more out of every workout while you enjoy exceptional reliability and performance. Our next-generation Elliptical Fitness Crosstrainers (EFX[®]) with Converging CrossRamp[®] provides a perfectly natural, low-impact stride, so exercisers can work out longer and harder.

As it did in 1995 when we first introduced the elliptical machine to the world, the EFX still sets the standard. In fact, the warranty claim rate of the EFX is six times less than the industry standard.

• **Converging CrossRamp**[®] – Users can isolate or crosstrain specific lower body muscle groups simply by adjusting the angle of the ramp, making it easier for them to focus on their individual fitness goals.

• Natural Motion – Our patented elliptical path perfectly mimics a natural running stride, allowing users to keep their heels down, for a more comfortable, effective and ergonomically correct motion. The redesigned ramp features a new converging foot path that more closely matches our natural gait, delivering a personalized fit and feel.


• Lower Rate of Perceived Exertion (RPE) – The smooth, flowing stride produces a lower RPE, making workouts actually feel easier, so users can reap the fitness rewards of exercising harder and longer.




Adaptive Motion Trainer[®] AMT[®] with Open Stride[™]

The only cardio machine to offer adaptable stride length and adjustable stride height, delivers the most varied and highly-personalized workout experience to exercisers of all sizes and fitness levels.

- Personalized workout The Open Stride feature allows exercisers to adjust their stride height from 6.8 to 10 inches as well as spontaneously change their stride length from zero to 36 inches.
- A total body workout in one piece of equipment Users can go from short strides to long strides, walking to running, climbing to everything in-between, allowing them to target different muscle groups. Pushing and pulling the moving handlebars will engage the upper body, resulting in a total body workout.
- Burn more with more enjoyment The AMT with Open Stride delivers a higher level of caloric burn while giving users a lower level of perceived exertion. So they can go longer and harder – and get better results.









They all want a different workout. Give it to them with the AMT.

- **Broad Appeal** User-defined adaptive motion, a variety of stride lengths and low impact make the perfect workout possible for a wide variety of users.
- Better Results Research proves the AMT elicits high levels of oxygen consumption and energy expenditure, allowing users to take their cardio fitness to a higher level.*
- Infinite variety of motion paths The AMT redefined elliptical exercise. Exercisers can change the length of their stride to create a whole new feeling for a workout.

*Exercise Modality Comparison of Seven Exercise Modes. Len Kravitz, Ph.D., University of New Mexico, USA.



Climber: Similar to stair climbing, this exercises all leg muscles, especially the glutes, hip flexors, and calves.



Elliptical: Like a jogging motion-- really pushes the hamstrings and glutes.



Bike: Similar to motion of cycling and great for working calves and quads.




Treadmill: Similar to running, for total body engagement, but without the impact.

Bikes A comfortable ride for your workout

Give users the comfort they need to get the most out of every ride. Our bikes feature highly ergonomic designs to encourage proper form, along with a number of innovations to maximize comfort and ease-of-use.

Users will enjoy efficient, smooth pedaling with biomechanically correct Knee Over Pedal Spindle (KOPS) geometry and extra-wide, dual-sided pedals. They will also appreciate the simple, one-handed seat adjustment and the accessibility of the console and accessories holder, allowing them to maintain form and stay focused on their workout.

- Ultra Comfortable Recumbent Seat Back Custom-designed air flex seat, featuring a ventilated panel and unique suspension system for a cool, cushioned ride.
- Ergonomic Upright Handlebars Over-molded style adds comfort and durability while offering dual heart rate contacts and three ergonomic riding positions: upright, cruising and road.
- Convenient Maintenance Access Both styles of bike allow for easy access to the belt-drive system with easily removable shroud that comes off with the cranks and pedals still in place.
- **2-Stage Belt-Drive System** Yields a very low start resistance and smooth, consistent changes of resistance levels.



Climber Natural motion with superior feel

Our ergonomically designed climber encourages proper posture and technique to keep motion fluid and comfortable. Using the same generator as our EFX[®] line, it delivers smooth, quiet movement.

· Low-maintenance design and durability

With low-maintenance design and extreme durability, the CLM 835 climber uses the same low-friction, self-powered generator system as the Precor Elliptical Fitness Crosstrainers[™]. All this adds up to a smooth feel and quiet movement for users.

6-Phase Generator

The durable 6-phase generator system has no contacting parts, providing smooth, durable operation. Thirty-one climbing speed levels range from 30 to 180 steps-per-minute in 5 steps-perminute increments to allow the user to tailor workouts to their fitness level.

StretchTrainer[™] A proper warm-up and cool-down

Stretching is an important component in a proper warm-up and cool-down at the start and end of each workout. The StretchTrainer[™] 240i enables users to prepare their bodies for a stronger and more satisfying workout and helps to prevent injury during and after exercise.



CLM 835





Reading rack accessory attaches easily to the P82 console

Experience[™] Series 880 Line

Add another highlight to the facility tour – your cardio floor, featuring the new Experience[™] Series cardio equipment from Precor. From first glance to deeper inspection, the Experience Series 880 Line makes quite an impression. With a touchscreen console and a simple, intuitive interface, it draws members deeper into their workout.

Available exclusively on the 880 line, Preva[®], the industry leader in networked fitness solutions, will forever change the way your members work out. You'll provide your exercisers with a personalized fitness experience that engages them with the best of internet content, and motivates them with fitness tracking to reach their goals.



Capacitive touch screen – A touch screen design experience that rivals the best personal electronics. Users will enjoy controlling their workout via screen gestures on a robust, responsive and intuitive industrial-grade capacitive touch screen.



Heads-up viewing angle – The upright screen position encourages correct posture while working out. The user is able to keep their head, neck and shoulders in an upright and natural position, making the exercise experience more comfortable and effective.



Featured workout – Users are encouraged to try more variety in their workouts, as the 880 Line promotes new workouts on a daily basis.



Mobile Device Charger – The 880 line console now features a mobile device charger enabling exercisers to charge mobile phones including those running Android[™], Apple[®], BlackBerry[™] and Windows[®] operating systems, and small MP3 players. It will also provide charging to tablets and electronic book readers.



Customizable screen – Users can customize a variety of aspects of their workout, including preferred entertainment options.



Motion Controls – Large and responsive controls are independent of the touch screen, enabling users to alter the motion and resistance of their workout with ease.





AMT[®] 885 with Open Stride[™] Adaptive Motion Trainer[®]

- Adaptive stride length: 0 to 36 in (0 to 91 cm)
- Adjustable stride height: 6.8 to 10 in (17 to 25 cm)
- 12 workouts and 20 electronic readouts
- LxWxH: 80 x 35 x 73 in (203 x 89 x 186 cm)
- Weight: 422 lbs (191 kg)



EFX[®] 885 Elliptical Fitness Crosstrainer™

- Converging CrossRamp[®]: adjustable ramp between 10 and 35°
- Total body workout and moving upper body handlebars
- 22 workouts and 18 electronic readouts
- LxWxH: 80 x 30 x 72 in (203 x 76 x 183 cm)
- Weight: 340 lbs (154 kg)



EFX[®] 883 Elliptical Fitness Crosstrainer[™]

- Converging CrossRamp[®]: adjustable ramp between 10 and 35°
- Fixed upper body handlebars
- 22 workouts and 18 electronic readouts
- LxWxH: 80 x 30 x 72 in (203 x 76 x 183 cm)
- Weight: 340 lbs (154 kg)







- Incline range: -3% decline to 15% incline
- Ground Effects[®] & Integrated Footplant Technology[™]
- Speed 0.5 16 mph (0.8 25.5 kph) + Auto Stop™
- 27 workouts and 20 electronic readouts
- LxWxH: 83 x 35 x 68.5 in (211 x 98 x 174 cm)
- Weight: 430 lbs (195 kg)

UBK 885 Upright Bike

- Over-molded handlebars and improved saddle design
- Dual-sided pedals with integrated straps
- Simple single-handed seat adjustment
- 17 workouts and 18 electronic readouts
- LxWxH: 48 x 21 x 62 in (122 x 53 x 157 cm)
- Weight: 169 lbs (77 kg)



RBK 885 Recumbent Bike

- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Dual-sided pedals with integrated straps
- 17 workouts and 18 electronic readouts
- LxWxH: 67 x 23 x 54 in (170 x 58 x 136 cm)
- Weight: 219 lbs (99 kg)



15" Personal Viewing System (PVS)

Experience[™] Series 830 Line

Right from the start, you'll see that the form and function of the 830 Line console complements the 880 Line console, right down to the same easy-to-use motion controls. From there, the 830 Line console uses an LED-based display that focuses on the essential fitness stats and displays that keep members moving.

Add the optional Entertainment Cap to allow your exercisers to plug into the console with their headphones and listen to the audio stream from your facility's mounted televisions. Or add the 15" Personal Viewing System to give your members a personalized media experience right on the machine.

And, just as with all Experience[™] Series cardio, the 830 Line features the same smooth, flowing, and precise cardio equipment from Precor.

P30 console:

- Optional 800/900 MHz Entertainment Cap
- Optional 15" Personal Viewing System (PVS)



Optional Personal Viewing System

Entertainment Cap



AMT[®] 835 with Open Stride[™] Adaptive Motion Trainer[®]

- Adaptive stride length: 0 to 36 in (0 to 91 cm)
- Adjustable stride height: 6.8 to 10 in (17 to 25 cm)
- 6 workouts and 20 electronic readouts
- LxWxH: 80 x 35 x 69 in (203 x 89 x 176 cm)
- Weight: 412 lbs (187 kg)



AMT[®] 833 Adaptive Motion Trainer[®]

- Adaptive stride length: 0 to 36 in (0 to 91 cm)
- Fixed stride height: 7.6 in (19 cm)
- 6 workouts and 19 electronic readouts
- LxWxH: 80 x 35 x 69 in (203 x 89 x 176 cm)
- Weight: 412 lbs (187 kg)



EFX[®] 835 Elliptical Fitness Crosstrainer[™]

- Converging CrossRamp[®]: adjustable ramp between 10 - 35°
- Moving upper body handlebars
- 15 workouts and 18 electronic readouts
- LxWxH: 80 x 30 x 67 in (203 x 76 x 170 cm)
- Weight: 330 lbs (150 kg)



EFX[®] 833 Elliptical Fitness Crosstrainer[™]

- Converging CrossRamp[®]: adjustable ramp between 10 - 35°
- Fixed upper body handlebars
- 15 workouts and 18 electronic readouts
 - LxWxH: 80 x 30 x 67 in (203 x 76 x 170 cm)
 - Weight: 330 lbs (150 kg)



TRM 835 Treadmill

- Incline range: -3% to 15% incline
- Ground Effects[®] Impact Control System
- Integrated Footplant Technology™
- Speed 0.5 16 mph (0.8 25.5 kph) + Auto Stop™
- 27 workouts and 21 electronic readouts
- LxWxH: 83 x 35 x 62 in (211 x 89 x 157.5 cm)
- Weight: 420 lbs (190 kg)



UBK 835 Upright Bike

- Over-molded handlebars
- Improved saddle design
- Simple single-handed seat adjustment
- 12 workouts and 18 electronic readouts
- LxWxH: 48 x 21 x 62 in (122 x 53 x 157 cm)
- Weight: 160 lbs (73 kg)



RBK 835 Recumbent Bike

- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Simple single-handed seat adjustment
- 12 workouts and 18 electronic readouts
- LxWxH: 67 x 23 x 50 in (170 x 58 x 127 cm)
- Weight: 210 lbs (95 kg)



- Self-powered generator resistance system
- 14 workouts and 21 electronic readouts
- LxWxH: 47 x 32 x 69 in (119 x 81 x 175 cm)
- Weight: 250 lbs (113 kg)



Experience[™] Series 810 Line

The exceptional feel of the Experience Series cardio continues, and covers all the essentials with the 810 Line. With the affordably priced 810 Line, you'll find the same high quality and reliability that Precor is known for, and the identical exercise experience as the top of the line.

An LED-based display clearly delivers the fundamental workout stats including calories burned, time remaining/elapsed, and distance. The latest standard feature on the 810 line console is a mobile device charger that enables exercisers to charge mobile phones including those that run Android[™], Apple[®], BlackBerry[™] and Windows[®] operating systems, and small MP3 players. It will also provide charging to tablets and electronic book readers.

Whether on its own or alongside the rest of the Experience Series equipment, the 810 Line offers the essential features with a premium feel.

P10 console:

- Optional 800/900 MHz Entertainment Cap
- Optional 15" Personal Viewing System (PVS)



AMT[®] 813 Adaptive Motion Trainer[®]

- Adaptive stride length: 0 to 36 in (0 to 91 cm)
- Fixed stride height: 7.6 in (19 cm)
- 6 workouts and 8 electronic readouts
- LxWxH: 80 x 35 x 69 in (203 x 89 x 176 cm)
- Weight: 412 lbs (187 kg)



UBK 815 Upright Bike

- Over-molded handlebars
- Improved saddle design
- Simple single-handed seat adjustment
- 6 workouts and 8 electronic readouts
- LxWxH: 48 x 21 x 57 in (122 x 53 x 146 cm)
- Weight: 160 lbs (73 kg)



TRM 811 Treadmill

- Incline range: 0% to 15% incline
- Ground Effects[®] Impact Control System
- Integrated Footplant Technology[™]
- Speed 0.5 12 mph (0.8 20 kph) + Auto Stop™
- 7 workouts and 7 electronic readouts
- LxWxH: 83 x 35 x 62 in (211 x 98 x 157.5 cm)
- Weight: 420 lbs (190 kg)



RBK 815 Recumbent Bike

- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Simple single-handed seat adjustment
- 6 workouts and 8 electronic readouts
- LxWxH: 67 x 23 x 49 in (170 x 58 x 124 cm)
- Weight: 210 lbs (95 kg)

Cable Management Keep cables safe and out of sight

Our cable management makes it simple for you to keep your facility organized and attractive. With this complete system, you can easily protect cables from damage and maintain an orderly, aesthetically pleasing appearance.





Streamlined LED display



Entertainment Cap



15" Personal Viewing System (PVS)

Assurance[™] Series

It's the cardio series that provides club level innovations and proven mechanical designs at an exceptional value. The Assurance[™] Series delivers uncomplicated and smooth workouts to exercisers of all ability levels. The console provides clear visuals and a familiar layout that makes it easy for users to explore a variety of satisfying workouts.

Built to withstand the rigors of a broad range of environments, from less supervised facilities such as hotels, corporate gyms, apartment complexes, or fire departments, the Assurance Series provides owners with reliable performance, time after time.

Streamlined LED display:

- Durable dome switches: tactile response
- Heart Rate Monitoring
- 6-7 programs

Advanced LED display (for Treadmill 946i):

- Tap Control: tactile response with audible click
- 13 programs

Standard console:

- Optional 800/900 MHz Entertainment Cap
- Optional 15" Personal Viewing System (PVS)



EFX[®] 536i Elliptical Fitness Crosstrainer[™]

- CrossRamp®: adjustable ramp between 15 and 40°
- Total body workout and moving upper body handlebars
- 6 workouts and 14 electronic readouts
- LxWxH: 84 x 31 x 67 in (213 x 79 x 168 cm)
- Weight: 245 lbs (111 kg)



932i Treadmill

- Incline range: 0% 15% in 0.5% increments
- Ground Effects[®] /Integrated Footplant Technology[™]
- 4.0 hp AC motor
- Speed 0.5 12 mph (0.8 20 kph)
- 7 workouts and 14 electronic readouts
- LxWxH: 79 x 34 x 59 in (204 x 86 x 150 cm)
- Weight: 331 lbs (150 kg)



Elliptical Fitness Crosstrainer™

- CrossRamp[®]: adjustable ramp between 15 and 40°
- Fixed upper body handlebars
- 6 workouts and 14 electronic readouts
- LxWxH: 84 x 31 x 67 in (213 x 79 x 168 cm)
- Weight: 245 lbs (111 kg)



UBK 615 Upright Bike

- Over-molded handlebars
- Improved saddle design
- Over-sized pedals with integrated straps
- Familiar pop-pin seat
- 6 workouts and 12 electronic readouts
- LxWxH: 48 x 21 x 57 in (122 x 53 x 146 cm)
- Weight: 155 lbs (70 kg)



946i Treadmill

- Incline range: 0% 15% in 0.5% increments
- Ground Effects[®] /Integrated Footplant Technology[™]
- 4.0 hp AC motor
- Speed 0.5 12 mph (0.8 20 kph)
- 13 workouts and 24 electronic readouts
- LxWxH: 79 x 34 x 59 in (204 x 86 x 150 cm)
- Weight: 331 lbs (150 kg)



Recumbent Bike

- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Over-sized pedals with integrated straps
- Simple single-handed seat adjustment
- 6 workouts and 12 electronic readouts
- LxWxH: 66 x 23 x 49 in (168 x 58 x 124 cm)
- Weight: 200 lbs (92 kg)







Queenax[™] Functional Training

Modular. Upgradable. Compatible. Adaptable. Flexible. Queenax[™] is the world's most unique, modular functional and suspended bodyweight training that multiplies the training space within your facility.

Queenax[™] Functional Training





Dimensions (LxWxH):
 Min. (3'1" x 2'10" x 8'7" / 94 x 86 x 285 cm)
 Max. (depends on attachments)



THE CORNER Compact Functionality

Dimensions (LxWxH):
 Min. (7'5" x 6'1" x 8'8" / 226 x 185 x 264 cm)
 Max. (depends on attachments)



WALL SOLUTIONS Preserve Open Floor Space

Dimensions (LxWxH):
 Min. (1'2" x 1'10" x 8'7" / 36 x 56 x 262 cm)
 Max. (48'5" x 5'9" x 9'4" / 1476 x 175 x 285 cm)





The modularity of **Queenax** can multiply the space in your facility in a visually unique way, allowing you to tailor each unit to your training needs.



THE FORMAT

Free-Standing Training Hub

Dimensions (LxWxH):
 Min. (14'9" x 5'9" x 9'4" / 450 x 175 x 285 cm)
 Max. (24'7" x 10'8" x 9'4" / 749 x 325 x 285 cm)



THE BRIDGE Dynamic Range of Training Environments

Dimensions (LxWxH):
 Min. (19'8" x 6'1" x 9'5" / 599 x 185 x 287 cm)
 Max. (52'6" x 6'1" x 9'5" / 1600 x 185 x 287 cm)




Training Apps

The Training Apps are accessory items that either enhance the training experience like dumbbells and kettlebells, or an apparatus that affixes to the Training Bars or Wall Bars, allowing you to conduct group training classes like Superfunctional[™], CrossCore[®], and TRX[®].



Optionals

The Optionals are storage solutions, flooring, and accessory items, like plyometric platforms, rebounders, and torso trainers, which can be added to the frame of your Queenax in order to accommodate exercises or storage. They can be removable or permanently mounted to create additional training stations.



Strength Equipment

We offer comprehensive ranges of strength equipment in a variety of color options that can complement any facility. With the same focus on ergonomics and smooth motion as our cardio equipment, our Discovery[™] Series, Vitality[™] Series and Icarian[®] strength lines offer something for every user.

Educational Video Links



Strength Placards

Large, easy to see, text free illustrations demonstrate correct form and muscle usage at a glance, while **QR codes** provide smart phone links to instructional videos.

Instructional Videos



Click or tap to play video

Discovery[™] Series Selectorized Line

Both you and your exercisers will appreciate the combination of biomechanics and aesthetics of the Discovery[™] Series Selectorized Line. It combines all the functional performance elements demanded from a strength line, along with the design and attention to detail you expect from Precor.

Key features of the Discovery[™] Series Selectorized Line include:

- Appearance Creates an open and inviting environment to everyone within the facility with a low-profile tower height and translucent shrouds.
- **Durability** The 11-gauge steel and fully-welded boxed frame provides a rock solid foundation that will not bend, flex or creak under heavy loads or over time.
- **Precision Adjustments** Highly visible and durable touch points including the industrial gas-assisted seat adjustments, over-molded rubber handles, selector pin, and add-on weight.
- **Ease of Use** Large, text-free instructional placards with QR codes linked to instructional videos make getting started easy for all exercisers.



Discovery[™] Series Selectorized Line



Instructional Placards - Easy-to-understand, large illustrations that demonstrate correct form at a glance. QR codes provide exercisers with links to helpful instructional videos.




Weight Tower – The Line features a consistent low-profile tower height and a translucent shroud that create an open and inviting workout environment.



Adjustments – The highly durable, industrial-grade tactile materials make it easy and comfortable for exercisers to get the right fit, with precise adjustments for seats and weights.



Upholstery – Exercisers will be more comfortable thanks to the premium pads and upholstery – and you'll appreciate the two-textured fabric that features double-top stitching on all seams, for extra durability.



Discovery[™] Series Selectorized Line



Shroud: Pacific Blue Upholstery: Black



Shroud: Dark Cavern Upholstery: Paprika

Discovery Series Selectorized Line Colors



Standard Shroud Colors (DSL only)

Black

American Beauty Red

Terra Cotta

Pacific Blue Dark Cavern



Colors may vary.

· Custom colors are available. Please contact a Precor sales representative.

Discovery[™] Series Selectorized Line – Upper Body



DSL0204 Biceps Curl

- Dimensions (LxWxH): 47 x 44 x 59 in (119 x 112 x 150 cm)
- Weight: 434 lbs (197 kg)
- Weight Stack: 160 lbs (73 kg)



DSL0208 Triceps Extension

- Dimensions (LxWxH): 47 x 44 x 59 in (119 x 112 x 150 cm)
- Weight: 442 lbs (200 kg)
- Weight Stack: 160 lbs (73 kg)



DSL0215 Seated Dip

- Dimensions (LxWxH): 47 x 49 x 59 in (119 x 125 x 150 cm)
- Weight: 563 lbs (255 kg)
- Weight Stack: 240 lbs (109 kg)



DSL0304 Lat Pulldown

- Dimensions (LxWxH):
 67 x 61 x 77 in (170 x 155 x 196 cm)
- Weight: 619 lbs (281 kg)
- Weight Stack: 240 lbs (109 kg)



DSL0310 Seated Row

- Dimensions (LxWxH): 51 x 49 x 59 in (130 x 125 x 150 cm)
- Weight: 508 lbs (230 kg)
- Weight Stack: 240 lbs (109 kg)



DSL0313 Back Extension

- Dimensions (LxWxH): 48 x 43 x 59 in (122 x 109 x 150 cm)
- Weight: 488 lbs (221 kg)
- Weight Stack: 160 lbs (73 kg)



DSL0404 Chest Press

- Dimensions (LxWxH):
- 58 x 59 x 59 in (147 x 150 x 150 cm)
- Weight: 530 lbs (240 kg)
- Weight Stack: 240 lbs (109 kg)



DSL0500 Shoulder Press

- Dimensions (LxWxH):
- 67 x 52 x 59 in (170 x 132 x 150 cm)
- Weight: 538 lbs (244 kg)
- Weight Stack: 200 lbs (91 kg)



DSL0504 Lateral Raise

- Dimensions (LxWxH): 53 x 49 x 59 in (135 x 125 x 150 cm)
- Weight: 498 lbs (226 kg)
- Weight Stack: 160 lbs (73 kg)



DSL0505 Rear Delt / Pec Fly

- Dimensions (LxWxH): 54 x 56 x 84 in (137 x 142 x 213 cm)
- Weight: 594 lbs (269 kg)
- Weight Stack: 240 lbs (109 kg)

Discovery[™] Series Selectorized Line - Lower Body and Core



DSL0315 Rotary Torso

- Dimensions (LxWxH): 50 x 54 x 59 in (127 x 137 x 150 cm)
- Weight: 451 lbs (205 kg)
- Weight Stack: 160 lbs (73 kg)



DSL0602 Leg Press

- Dimensions (LxWxH): 77 x 48 x 59 in (196 x 122 x 150 cm)
- Weight: 875 lbs (397 kg)
- Weight Stack: 400 lbs (182 kg)



DSL0605 Leg Extension

- Dimensions (LxWxH): 53 x 49 x 59 in (135 x 125 x 150 cm)
- Weight: 575 lbs (261 kg)
- Weight Stack: 240 lbs (109 kg)



DSL0606 Prone Leg Curl

- Dimensions (LxWxH): 61 x 48 x 59 in (155 x 122 x 150 cm)
- Weight: 497 lbs (225 kg)
- Weight Stack: 200 lbs (91 kg)



DSL0618 Glute Extension

- Dimensions (LxWxH): 53 x 40 x 59 in (135 x 102 x 150 cm)
- Weight: 448 lbs (203 kg)
- Weight Stack: 160 lbs (73 kg)



DSL0619 Seated Leg Curl

- Dimensions (LxWxH): 61 x 49 x 59 in (155 x 125 x 150 cm)
- Weight: 594 lbs (269 kg)
- Weight Stack: 240 lbs (109 kg)



DSL0620 **Inner Thigh**

- Dimensions (LxWxH):
- 66 x 30 x 59 in (168 x 76 x 150 cm) • Weight: 544 lbs (247 kg)
- Weight Stack: 200 lbs (91 kg)



DSL0621 Outer Thigh

- Dimensions (LxWxH): 66 x 30 x 59 in (168 x 76 x 150 cm)
- Weight: 544 lbs (247 kg)
- Weight Stack: 200 lbs (91 kg)



DSL0623 Seated Calf Extension

- Dimensions (LxWxH): 53 x 44 x 59 in (135 x 112 x 150 cm)
- Weight: 679 lbs (308 kg)
- Weight Stack: 400 lbs (181 kg)



DSL0714 Abdominal

- Dimensions (LxWxH): 51 x 50 x 59 in (130 x 127 x 150 cm)
- Weight: 523 lbs (237 kg)
- Weight Stack: 200 lbs (91 kg)

60

Discovery[™] Series Selectorized Line Advanced Movement Design[™]

Your exercisers will experience greater strength through Advanced Movement Design , exclusive to the Discovery Series Selectorized Line.

This progressive platform challenges the body in a way that engages more muscles to functionally develop strength and stabilizes movement patterns. Exercisers will experience better results as they work their muscles through a greater, more natural range of motion.

Key features of the Advanced Movement Design within the Discovery Series Selectorized Line include:

- **Progressive Platform** Natural step for exercisers as they build upon their strength routine with added variety and enhanced core stabilization.
- Natural Movement- The converging/diverging axis allows exercisers to move in a more natural movement pattern to provide greater range of motion and muscle recruitment.
- **Ergonomic Design** Angled movement arms, ellipse-shaped handle grips, and an improved pulley system design ensures exercisers experience a smoother, more natural and fluid motion.
- More Effective Workouts Independent movement arms demand greater balance and core muscle engagement from your exercisers.



DSL0414 Converging Chest Press

- Dimensions (LxWxH): 64 x 49 x 72 in (163 x 123 x 183 cm)
- Weight: 575 lbs (260 kg)
- Weight Stack: 240 lbs (109 kg)

DSL0515 Converging Shoulder Press

- Dimensions (LxWxH): 61 x 59 x 61 in (154 x 150 x 154 cm)
- Weight: 527 lbs (239 kg)
- Weight Stack: 200 lbs (91 kg)



DSL0314

47 x 50 x 84 in (118 x 127 x 213 cm)







Discovery[™] Series Plate Loaded Line

The Discovery[™] Series Plate Loaded Line combines all of the functional performance elements demanded from a strength line but with the design and attention to detail that is the hallmark of Precor premium quality. The result is an exceptional experience for the first-time user and the seasoned athlete alike.

Key features of the Discovery[™] Series Plate Loaded Line include:

- **Biomechanical excellence** Resistance strength curves tailored to match the body's natural force curves.
- Workout-enhancing design Independent arm resistance demands greater balance and core muscle engagement from the user, while the converging / diverging movement paths provide a greater range of motion and muscle recruitment.
- **Longevity** Built to withstand the toughest commercial fitness environments.
- Made for everyone Designed to suit a wide range of users, featuring elements such as easy load heights, low starting weights and ample plate storage.



Discovery[™] Series Plate Loaded Line



Upholstery – Premium pads and upholstery provides superior fit and control for the user, as well as enhanced strength and durability.



Grips - Ergonomic grips allow for maximum grip power and distribution of weight across the entire palm, for improved comfort and feel.



Pivots - Cast pivot housing adds strength and provides an enhanced finished appearance.



Adjustments – Precision adjustments, including highly durable industrial-grade seat adjustments and large, ergonomic rubber adjustment paddles.



Discovery[™] Series Plate Loaded Line

Frame and Movement Arm Color Options



Colors may vary.

Custom colors are available. Please contact a Precor sales representative.





Discovery[™] Series Plate Loaded Line



DPL0802 Smith Machine

- Dimensions (LxWxH): 56 x 84 x 90 in (142 x 214 x 229 cm)
- Weight: 395 lbs (179 kg)
- Start weight: 25 lbs (11.3 kg)
- Max. load weight: 600 lbs (272 kg)
- Angle of Glide Path: 11 degrees



DPL0520 Biceps Curl

- Dimensions (LxWxH): 53 x 38 x 48 in (136 x 97 x 121 cm)
- Weight: 258 lbs (117 kg)
- Start weight: 12 lbs (5.4 kg)
- Max. load weight: 225 lbs (102 kg)



DPL0601 Angled Leg Press

- Dimensions (LxWxH): 94 x 55 x 56.5 in (239 x 140 x 144 cm)
- Weight: 556 lbs (252 kg)
- Start weight: 136 lbs (62 kg)
- Max. load weight: 1080 lbs (490 kg)



DPL0540 Chest Press

- Dimensions (LxWxH): 43 x 67 x 70 in (110 x 169.5 x 177.5 cm)
- Weight: 353 lbs (160 kg)
- Start weight: 12 lbs (5.5 kg)
- Max. load weight: 450 lbs (204 kg)



DPL0603 Hack Squat Machine

- Dimensions (LxWxH): 83 x 63 x 56.5 in (211 x 160 x 144 cm)
- Weight: 455 lbs (206 kg)
- Start weight: 89 lbs (40 kg)
- Max. load weight: 720 lbs (327 kg)



DPL0541 Incline Press

- Dimensions (LxWxH): 43 x 78 x 70.5 in (109 x 199 x 179 cm)
- Weight: 346 lbs (157 kg)
- Start weight: 12 lbs (5.5 kg)
- Max. load weight: 450 lbs (204 kg)

Discovery[™] Series Plate Loaded Line



DPL0308 Low Row

- Dimensions (LxWxH): 61 x 50.5 x 67 in (155 x 128 x 171 cm)
- Weight: 344 lbs (156 kg)
- Start weight: 15 lbs (6.5 kg)
- Max. load weight: 450 lbs (204 kg)



DPL0550 Shoulder Press

- Dimensions (LxWxH): 57 x 61 x 62 in (144 x 153 x 157 cm)
- Weight: 310 lbs (141 kg)
- Start weight: 10 lbs (4.5 kg)
- Max. load weight: 360 lbs (163 kg)



DPL0305 Pulldown

DPL0560

Leg Extension

• Dimensions (LxWxH):

• Weight: 291 lbs (132 kg)

• Start weight: 13 lbs (5.9 kg)

• Max. load weight: 180 lbs (82 kg)

62 x 63 x 47 in (158 x 159 x 120 cm)

- Dimensions (LxWxH):
 66 x 51 x 76.5 in (168 x 130 x 194 cm)
- Weight: 326 lbs (148 kg)
- Start weight: 5 lbs (2.5 kg)
- Max. load weight: 450 lbs (204 kg)



DPL0521 Seated Dip

- Dimensions (LxWxH): 72 x 41 x 37 in (184 x 103 x 94 cm)
- Weight: 287 lbs (130 kg)
- Start weight: 8 lbs (3.6 kg)
- Max. load weight: 360 lbs (163 kg)



DPL0561 Leg Curl

- Dimensions (LxWxH): 48 x 66 x 55 in (122 x 167 x 140 cm)
- Weight: 331 lbs (150 kg)
- Start weight: 11 lbs (5 kg)
- Max. load weight: 180lbs (82kg)



DPL0309 Seated Row

- Dimensions (LxWxH): 58 x 50 x 49 in (148 x 127.5 x 124 cm)
- Weight: 340 lbs (154 kg)
- Start weight: 10 lbs (4.5 kg)
- Max. load weight: 450 lbs (204 kg)



DPL0616 Calf Raise

- Dimensions (LxWxH): 59 x 30 x 40 in (150 x 76 x 101 cm)
- Weight: 165 lbs (75 kg)
- Start weight: 25 lbs (11 kg)
- Max. load weight: 450 lbs (204 kg)

Discovery[™] Series Benches & Racks Line

The Discovery[™] Series Benches & Racks Line features all of the performance elements demanded from a benches and racks line along with innovative functional capabilities and attention to detail you expect from Precor.

Key features of the Discovery[™] Series Benches & Racks Line include:

- **Functional Excellence** The attention to product design enhances traditional and functional exercise movements, ensuring an endless variety of exercise opportunities for an endless variety of exercisers.
- **Sturdy** Heavy duty, oversized commercial tubing, high impact polyurethane covers and replaceable, non-slip wear guards optimize product strength and durability.

• **Storage** - Bumper plate accommodating weight plate horns, Olympic Bar storage and functional apparatus storage is built-in and conveniently located, increasing accessibility and keeping accessories within reach.





DBR0610 Power Rack

- Dimensions (LxWxH): 83 x 63 x 98.5 in (210 x 160 x 250 cm)
- Weight: 613 lbs (278 kg)
- Weight Storage horns: 10
- Max Lift Load Capacity: 800 lbs (363 kg)
- Max Storage Weight: 1800 lbs (817 kg)



DBR0611 Half Rack

- Dimensions (LxWxH): 71 x 61 x 98.5 in (180 x 155 x 250 cm)
- Weight: 453 lbs (206 kg)
- Weight Storage Horns: 10
- Max Lift Load Capacity: 600 lbs (272 kg)
- Max Storage Weight: 1800 lbs (817 kg)



DBR0119 Multi-Adjustable Bench

- Dimensions (LxWxH): 55 x 29.5 x 18 in (140 x 75 x 46 cm)
- Weight: 106 lbs (48 kg)
- Max Lift Load Capacity: 400 lbs (181.5 kg)



DBR0817 Weight Plate Tree

- Dimensions (LxWxH): 26 x 30 x 47 in (65 x 75 x 120 cm)
- Weight: 77 lbs (35 kg)



Colors may vary.

· Custom colors are available. Please contact a Precor sales representative.

71



DBR0101 Flat Bench

- Dimensions (LxWxH): 52.4 x 29.5 x 15 in (133 x 75 x 38 cm)
- Weight: 64 lbs (29 kg)



DBR0113 Adjustable Decline Bench

- Dimensions (LxWxH): 58.3 x 29.5 x 44 in (148 x 75 x 112 cm)
- Weight: 125.7 lbs (57 kg)



DBR0116 Multi-Purpose Bench

- Dimensions (LxWxH): 49.2 x 29.5 x 33.3 in (125 x 75 x 84.5 cm)
- Weight: 82 lbs (37.3 kg)



DBR0608 Olympic Squat Rack

- Dimensions (LxWxH): 67 x 64 x 74 in (171 x 163 x 188 cm)
- Weight: 273 lbs (124 kg)
- Plate holders



DBR0408 Olympic Bench

- Dimensions (LxWxH): 73 x 65 x 51.2 in (185 x 165 x 130 cm)
- Weight: 188.3 lbs (85.4 kg)
- Plate holders



DBR0410 Olympic Incline Bench

- Dimensions (LxWxH):
- 79 x 65 x 55 in (201 x 165 x 139.7 cm) • Weight: 221 lbs (100 kg)
- Plate holders

DBR0411 Olympic Decline Bench

- Dimensions (LxWxH): 83 x 65 x 51.2 in (210 x 165 x 130 cm)
- Weight: 217 lbs (98.4 kg)
- Plate holders



DBR0507 Olympic Shoulder Press Bench

- Dimensions (LxWxH):
 53.4 x 64 x 72 in (135.5 x 162 x 183 cm)
- Weight: 301 lbs (136.3 kg)
- Plate holders



DBR0808 Barbell Rack

- Dimensions (LxWxH): 41.3 x 33.5 x 59 in (105 x 85 x 150 cm)
- Weight: 183 lbs (83 kg)



DBR0812 2 Tier, 10 Pair Dumbbell Rack

- Dimensions (LxWxH): 87 x 28 x 32 in (220 x 70 x 81 cm)
- Weight: 207 lbs (94 kg)



DBR0813 Beauty Bell Rack

- Dimensions (LxWxH): 51 x 30.3 x 41 in (130 x 77 x 105 cm)
- Weight: 205 lbs (93 kg)



DBR0814 3 Tier, 10 Pair Dumbbell Rack

- Dimensions (LxWxH): 51 x 30.3 x 41.4 in (130 x 77 x 105 cm)
- Weight: 213 lbs (96.7 kg)



DBR0815 3 Tier, 15 Pair Dumbbell Rack

- Dimensions (LxWxH): 87 x 30.3 x 42 in (220 x 77 x 106 cm)
- 300 lbs (136 kg)



DBR0818 Handle Rack

- Dimensions (LxWxH): 37 x 26 x 42 in (94 x 66 x 107 cm)
- Weight: 128 lbs (57.8 kg)

Vitality[™] Series

The Vitality[™] Series are compact, efficient units that can help you provide the variety users need while working within space and budget requirements.

To encourage comfortable and effective workouts, the range incorporates biomechanically correct and user-friendly design.

Key features of the Vitality[™] Series include:

- **Natural Feel** Sound biomechanics deliver a smooth, fluid motion that moves with the body and feels natural to the user.
- Welcoming Design Translucent shrouds partially enclose weight stacks, creating a sense of privacy helpful to new users, while maintaining some openness throughout your facility.
- **Easy To Use** Users will enjoy a walk-in design and a minimum number of necessary adjustments. Any required adjustments can be easily made from the seated position.



Vitality[™] Series



Add-on Weight – Each station features an add-on weight. Users can easily engage the add-on weight with a simple push of a lever.



Compact - The Vitality[™] Series is designed with limited space in mind. All machines have a small footprint and a low profile design.



Colors may vary.

• Upholstery colors other than black are available at an additional cost.



Vitality[™] Series - Upper Body, Lower Body and Core



COO3ES Bicep Curl

- Dimensions (LxWxH): 47 x 40 x 57 in (119 x 102 x 145 cm)
- Weight: 395 lbs (180 kg)
- Weight stack: 170 lbs (78 kg)



COO1ES Chest Press

- Dimensions (LxWxH): 39 x 51 x 69 in (99 x 130 x 175 cm)
- Weight: 450 lbs (205 kg)
- Weight stack: 240 lbs (110 kg)



COO2ES Pulldown*

- Dimensions (LxWxH): 55.5 x 40 x 88 in (141 x 102 x 223.5 cm)
- Weight: 475 lbs (215 kg)
- Weight stack: 220 lbs (100 kg) *Also available with pulldown bar, as an optional extra.



CO19ES Seated Row

- Dimensions (LxWxH): 50 x 47 x 69 in (127 x 119 x 175 cm)
- Weight: 460 lbs (210 kg)
- Weight stack: 240 lbs (110 kg)



CO23ES Tricep Extension

- Dimensions (LxWxH): 46 x 40 x 57 in (117 x 102 x 145 cm)
- Weight: 395 lbs (180 kg)
- Weight stack: 170 lbs (78 kg)



CO05ES Leg Extension

- Dimensions (LxWxH):
- 52 x 43 x 57 in (132 x 109 x 145 cm) • Weight: 460 lbs (210 kg)
- Weight stack: 200 lbs (91 kg)



COO7ES Seated Leg Curl

Dimensions (LxWxH):
 62 x 43 x 57 in (157 x 109 x 145 cm)

- Weight: 450 lbs (205 kg)
- Weight stack: 170 lbs (78 kg)



CO14ES Abdominal

- Dimensions (LxWxH): 58 x 39 x 57 in (147 x 99 x 145 cm)
- Weight: 460 lbs (210 kg)
- Weight stack: 200 lbs (91 kg)



CO12ES Shoulder Press

- Dimensions (LxWxH): 59 x 56 x 57 in (150 x 142 x 145 cm)
- Weight: 430 lbs (195 kg)
- Weight stack: 200 lbs (91 kg)



CO11ES Back Extension

- Dimensions (LxWxH): 53 x 39 x 57 in (135 x 99 x 145 cm)
- Weight: 450 lbs (205 kg)
- Weight stack: 200 lbs (91 kg)

Vitality[™] Series – Dual Exercise



CO24ES Multi Press

- Dimensions (LxWxH): 72 x 60 x 69 in (183 x 152 x 175 cm)
- Weight: 450 lbs (205 kg)
- Weight stack: 240 lbs (110 kg)



CO15ES Rear Delt / Pec Fly

- Dimensions (LxWxH): 40 x 54 x 78 in (102 x 137 x 198 cm)
- Weight: 470 lbs (214 kg)
- Weight stack: 240 lbs (110 kg)



CO26ES Pulldown / Seated Row

- Dimensions (LxWxH): 76 x 48 x 87 in (193 x 122 x 221 cm)
- Weight: 490 lbs (222 kg)
- Weight stack: 220 lbs (100 kg)



CO25ES BicepCurl / Tricep Extension

- Dimensions (LxWxH): 51 x 43 x 57 in (130 x 110 x 145 cm)
- Weight: 395 lbs (180 kg)
- Weight stack: 170 lbs (78 kg)



CO27ES Leg Extension / Leg Curl

- Dimensions (LxWxH):
 64 x 43 x 57 in (163 x 109 x 145 cm)
- Weight: 530 lbs (240 kg)
- Weight stack: 240 lbs (110 kg)



CO10ES Leg Press / Calf Extension

- Dimensions (LxWxH): 76 x 43 x 69 in (193 x 109 x 175 cm)
- Weight: 550 lbs (250 kg)
- Weight stack: 295 lbs (135 kg)



COO8ES Inner / Outer Thigh

- Dimensions (LxWxH): 64 x 31 x 57 in (163 x 79 x 145 cm)
- Weight: 440 lbs (200 kg)Weight stack: 170 lbs (78 kg)

CO28ES Abdominal / Back Extension

- Dimensions (LxWxH): 59 x 39 x 57 in (150 x 99 x 145 cm)
- Weight: 460 lbs (210 kg)
- Weight stack: 200 lbs (91 kg)

Icarian[®] Functional Training

Icarian[®] Strength Line

Help members of all abilities benefit from the value of strength training. Our Icarian Strength Line is the solid foundation to support your strength offering, making it easy for everyone to begin and progress.

Attention to biomechanics, comfortable touch points and easy to use adjustments let all users enjoy the smooth, fluid motion.

To complement your facility, every machine is durable, streamlined and available in a variety of color combinations.

FTS Glide Functional Training System

- Dimensions (LxWxH):
 53 x 48 x 85 in (135 x 123 x 216 cm)
- Weight: 672 lbs (305 kg)
- Weight stack: 2 x 200 lbs (2 x 91 kg)






FTS Functional Training System

- Dimensions (LxWxH): 98 x 58 x 91 in (249 x 147 x 230 cm)
- Weight: 840 lbs (382 kg)
- Weight stack: 190 lbs (86 kg)
- Adjustable Start Position

Icarian[®] Functional Training



- 176 x 43 x 91 in (447 x 109 x 231 cm)
- Weight: 870 lbs (396 kg)
- Weight stack: 200 lbs (91 kg)
- Adjustable Start Position



Icarian[®] Colors Options

Silver

Colors may vary.

· Custom colors are available. Please contact a Precor sales representative.

Icarian® Selectorized and Plate-Loaded



302 Longpull

- Dimensions (LxWxH): 111 x 43 x 93 in (282 x 109 x 236 cm)
- Weight: 590 lbs (268 kg)
- Weight stack: 250 or 300 lbs (114 or 136 kg)



304 Pulldown

- Dimensions (LxWxH): 73 x 43 x 92 in (185 x 109 x 234 cm)
- Weight: 545 lbs (248 kg)
- Weight stack: 250 or 300 lbs (114 or 136 kg)



320 Dip / Chin Assist

- Dimensions (LxWxH): 61 x 54 x 93 in (155 x 137 x 236 cm)
- Weight: 635 lbs (289 kg)
- Weight stack: 200 lbs (91 kg)



311 Incline Lever Row

- Dimensions (LxWxH): 73 x 31 x 47 in (185 x 79 x 119 cm)
- Weight: 190 lbs (86 kg)



624 Super Squat

- Dimensions (LxWxH): 70 x 64 x 58 in (201 x 163 x 147 cm)
- Weight: 430 lbs (196 kg)
- Plate holders

Multi-Station systems are versatile cable-based functional training stations offering space efficiency for the number of exercise stations they incorporate.

The exercise movements on the machines are identical to single station units without ever compromising the function users have come to expect. With a wide range of pre-configured stations for your convenience, Precor multi-stations are available in 2-stack, 3-stack, 4-stack, 5-stack, 6-stack, 8-stack or 12-stack.







820 Multi-Gym

- Dimensions (LxWxH): 183 x 158 x 92 in (465 x 402 x 234 cm)
- Weight: 3251 lbs (1475 kg)
- Optional add-on weights



CW2201 5-Stack

Cable Crossover, Pulldown, Longpull, Dip-Chin Assist

Other Configurations

- CW2200: Cable Crossover, Pulldown, Longpull, Adjustable Hi-Lo
- CW2205: Cable Crossover, Pulldown, Longpull, Adjustable Hi-Lo

CW2004 2-Stack

Pulldown, Longpull

Other Configurations

- CW2006: Longpull, Longpull
- CW2008: Pulldown, Pulldown



CW2168 4-Stack

Pulldown, Longpull, Triceps Pushdown, Adjustable Hi-Lo

Other Configurations

- CW2131: Pulldown, Longpull, Adjustable Hi-Lo, Dip-Chin Assist
- CW2137: Pulldown, Longpull, Adjustable Hi-Lo, Adjustable Hi-Lo
- CW2151: Pulldown, Pulldown, Adjustable Hi-Lo, Dip-Chin Assist
- CW2163: Pulldown, Longpull, Triceps Pushdown, Dip-Chin Assist
- CW2180: Cable Crossover, Pulldown, Dip-Chin Assist
- CW2190: Cable Crossover, Pulldown, Longpull

CW2055 3-Stack

Other Configurations

- CW2055: Dip-Chin Assist, Cable Crossover
- CW2151: Dip-Chin Assist, Cable Crossover
- CW2200: Dip-Chin Assist, Cable Crossover
- CW2502: Dip-Chin Assist, Cable Crossover
- CW2912: Dip-Chin Assist, Cable Crossover



CW2222 6-Stack

Cable Crossover, Pulldown, Longpull, Adjustable Hi-Lo, Dip-Chin Assist

Configurations

- CW2223: Cable Crossover, Pulldown, Longpull, Adjustable Hi-Lo, Dip-Chin Assist
- CW2224: Cable Crossover, Pulldown, Longpull, Adjustable Hi-Lo, Pulldown
- CW2270: Cable Crossover, Longpull, Triceps Pushdown, Pulldown, Dip-Chin Assist
- CW2275: Cable Crossover, Longpull, Triceps Pushdown, Pulldown, Dip-Chin Assist



CW25018-Stack

Cable Crossover, Longpull, Triceps Pushdown, Dip-Chin Assist, Pulldown, Pulldown, Adjustable Hi-Lo

Configurations

- CW2502: Cable Crossover, Longpull, Triceps Pushdown, Dip-Chin Assist, Pulldown, Pulldown, Longpull
- CW2503: Cable Crossover, Longpull, Triceps Pushdown, Dip-Chin Assist, Pulldown, Longpull, Adjustable Hi-Lo
- CW2504: Cable Crossover, Pulldown, Longpull, Dip-Chin Assist, Pulldown, Longpull, Adjustable Hi-Lo
- CW2505: Cable Crossover, Pulldown, Longpull, Adjustable Hi-Lo, Pulldown, Longpull, Adjustable Hi-Lo



CW2912 12-Stack

Cable Crossover, Longpull, Triceps Pushdown, Adjustable Hi-Lo, Pulldown, Pulldown, Cable Crossover, Longpull, Triceps Pushdown, Dip-Chin Assist

Configurations

 CW2913: Cable Crossover, Longpull, Triceps Pushdown, Pulldown, Cable Crossover, Longpull, Pulldown, Cable Crossover, Longpull, Triceps Pushdown, Pulldown

Icarian Multi-Station weight stack shrouds are not available

Icarian[®] Benches & Racks

Keep even your most committed, knowledgeable and demanding users satisfied. Our complete line of benches and racks will meet their need and expectations of functional, stable, well-built equipment.

Available in the same comprehensive choice of colors as our strength lines, our benches and racks are sure to complement the look of your facility. Plus, all of our racks feature rubber-coated saddles to protect the finish on your dumbells and barbells.





Ab-X

With the Ab-X, users enjoy an efficient, well-designed solution with sound biomechanics built in. The unique "floating pivot point" design creates the ideal "crunch" movement while the contoured pads reduce stress to neck and shoulders.



V-Crunch

The V-Crunch gives your members a more comfortable way to perform leg lifts for core strengthening. Using the body's own weight as leverage, the V-Crunch allows users to perform leg raises with resistance that's less than their body weight.

Ab-x and V-Crunch Colors Options



Upholstery

Black

Gloss Metallic Gloss White Silver

Colors may vary.Custom colors are available. Please contact a Precor sales representative.



202 Seated Preacher Curl

- Dimensions (LxWxH): 52 x 33 x 38 in (133 x 84 x 96 cm)
- Weight: 120 lbs (54 kg)



312 Back Extension

Dimensions (LxWxH): 47 x 35 x 26 in (120 x 89 x 67 cm)
Weight: 125 lbs (57 kg)



702 Vertical Knee Up

- Dimensions (LxWxH): 36 x 30 x 57 in (90 x 76 x 145 cm)
- Weight: 190 lbs (86 kg)

Console Overview

Cardio Equipment Line 880 Display Type 15" LCD Touch Touch Preva* 15" LCD Touch Screen Motion Machine Controls Motion Numeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian 1000000000000000000000000000000000000	O Line Capacitive n Screen n Controls n Screen n Screen	B30 Line B30 Line Motion Controls	810 Line Streamlined LED display - - Dome Switch	Advanced LED display Advanced LED display Advanced LED display (TRM 946i) - - - Streamlined Display: Dome switches
Display Type 15" LCD Touch Touch Preva* Touch Touch Screen Motion Machine Controls Motion Numeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian Italian	Capacitive n Screen	Advanced LED display - - Motion Controls	Streamlined LED display	Streamlined LED display Advanced LED display (TRM 946i) - -
Display Type 15" LCD Touch Touch Preva* Touch Touch Screen Motion Machine Controls Motion Numeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian Italian	Capacitive n Screen	Advanced LED display - - Motion Controls	Streamlined LED display	Streamlined LED display Advanced LED display (TRM 946i) - -
Touch Preva* Touch Screen Machine Controls Machine Controls Mumeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian	n Screen	- - Motion Controls		Advanced LED display (TRM 946i) - -
Preva® Touch Screen Machine Controls Mumeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian	Controls	- Motion Controls	-	-
Touch Screen Machine Controls Machine Controls Motion Numeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian Italian	n Controls	Motion Controls		
Machine Controls Motion Numeric Key Pad Touch Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian Italian	n Screen		Dome Switch	Streamlined Display: Dome switches
Electronic Readouts Adv Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian Italian		•		Advanced Display: Tap Control
Units Selection (Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian	anced	-	-	•
(Metric and U.S. Standard) Mobile Device Charger Languages English French Dutch German Italian		Advanced	Basic	Streamlined Display: Basic Advanced Display: Advanced
Mobile Device Charger Languages English French Dutch German Italian	•		•	•
Languages English French Dutch German Italian				•
Languages English French Dutch German Italian	•	•	-	
English French Dutch German Italian				
French Dutch German Italian	•	•	•	•
German Italian	•		•	•
Italian	•		•	•
	•		•	•
Portuguese	•	•	•	•
Tortuguese	•		•	•
Russian	•		•	•
Spanish	•		•	•
Chinese	•	-	-	-
Japanese	•	-	-	-
Network Capabilities Preva® Netw	vorked Fitness	CSAFE-enabled	-	CSAFE-enabled
Options				
-	Indard	Standard	Standard	Standard
Personal Viewing System		Optional	Optional	Optional
(PVS) Viewing scree	een embedded	15" PVS	15" PVS	15″ PVS
Entertainment Can		•	•	•
Media Adapter P80	-			

Adaptive Motion Trainers®

Model	AMT [®] 885 Open Stride [™]	AMT [®] 835 Open Stride [™]	AMT [*] 833	AMT [®] 813
	E.	E.		
Console				
Console Type	P82 Console 15" LCD Capacitive Touch Screen	P30 Console Advanced LED display	P30 Console Advanced LED display	P10 Console Streamlined LED display
Console Features	Preva® Stride Dial™ Numeric Keypad QuickStart™ Motion Controls	Stride Dial™ Numeric Keypad QuickStart™ Motion Controls	Stride Dial™ Numeric Keypad QuickStart™ Motion Controls	Stride Dial™ Numeric Keypad QuickStart™
Heart Rate Monitoring	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate
Features				
Open Stride™	•		-	-
Adaptive Stride Length	0 to 36 in / 0 to 91 cm	0 to 36 in / 0 to 91 cm	0 to 36 in / 0 to 91 cm	0 to 36 in / 0 to 91 cm
Adaptive Stride Height	5 Levels 6.8 to 10 in / 17 to 25 cm	5 Levels 6.8 to 10 in / 17 to 25 cm	7.6 in / 19 cm	7.6 in / 19 cm
Resistance Levels	20	20	20	20
Step-up Height	6.5 in / 16.5 cm	6.5 in / 16.5 cm	6.5 in / 16.5 cm	6.5 in / 16.5 cm
Transport Wheels	•	•	•	•
Workouts	12	6	6	6
Electronic Readouts	20	20	19	11
Entertainment Options	Embedded	Optional PVS	Optional PVS	Optional PVS
Mobile Device Charger	•	•	•	•
Network Capabilities	Preva® Networked Fitness CSAFE-enabled	CSAFE-enabled	CSAFE-enabled	-
Max. Workout Time	120 min	Unlimited	Unlimited	Unlimited
Max. Pause Time	120 sec	30 sec	30 sec	30 sec
Language Selection	English, French, Dutch, German, Italian, Korean, Russian, Spanish, Portuguese, Chinese, Japanese	English, French, Dutch, German, Italian, Russian, Spanish, Portuguese, Japanese	English, French, Dutch, German, Italian, Korean, Russian, Spanish, Portuguese, Japanese	English, French, Dutch, German, Italian, Russian, Spanish, Portuguese, Japanese
Units Selection	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard
Dimensions	80 x 35 x 73 in	80 x 35 x 69 in	80 x 35 x 69 in	80 x 35 x 69 in
(LxWxH)	203 x 89 x 186 cm	203 x 89 x 175 cm	203 x 89 x 175 cm	203 x 89 x 175 cm
Product Height with PVS	-	82 in / 208 cm	82 in / 208 cm	82 in / 208 cm
Product Weight	422 lbs / 191 kg	412 lbs / 187 kg	412 lbs / 187 kg	412 lbs / 187 kg
Power	Powered	Self-powered	Self-powered	Self-powered
Accessories Holder	•	•	•	•
Reading Rack				
Cable Management	Optional	Optional	Optional	Optional
Regulatory Approvals	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957
Alexandrat				
Warranty*	7	7	7	~
Warranty* Frame Parts (Mechanical & Electronic)	7 years 2 years	7 years 2 years	7 years 2 years	7 years 2 years

Elliptical Fitness Crosstrainers[™]

Model	EFX* 885	EFX* 883	EFX* 835	EFX* 833	EFX* 536i	EFX* 532i
		•	30	affe		2
	6-0	6-0	6-0	6-0		
Console						
Console Type	_					
			W			
	P82 Console	P82 Console	P30 Console	P30 Console	Standard Console	Standard Console
	15" LCD Capacitive	15" LCD Capacitive	Advanced LED display	Advanced LED display	Streamlined	Streamlined
	Touch Screen	Touch Screen			LED display	LED display
Console Features	Preva®	Preva®	Muscle Monitor™	Muscle Monitor™	Numeric Keypad	Numeric Keypad
	Muscle Monitor™	Muscle Monitor™	Numeric Keypad	Numeric Keypad	QuickStart™	QuickStart™
	Numeric Keypad	Numeric Keypad	QuickStart™	QuickStart™		
	QuickStart™	QuickStart™	Motion Controls	Motion Controls		
	Motion Controls	Motion Controls				
Heart Rate Monitoring	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate
	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate
-						SmartRate®
Features						
CrossRamp®	Adjustable and Converging	Adjustable and Converging	Adjustable and Converging	Adjustable and Converging	Adjustable	Adjustable
Ramp Angle	10-35° 20	10-35° 20	10-35° 20	10-35° 20		15-40° 20
Resistance Levels Step-up Height	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm		20 8 in / 20 cm
Transport Wheels	8 117 20 011	8 117 20 011	8117 20 Chi	8 iii / 20 ciii	8 117 20 Cm	8 117 20 CH
Upper Body Handlebars	Moving	Fixed	Moving	Fixed	Moving	Fixed
Workouts	22	22	15	15	6	6
Electronic Readouts	18	18	18	18	14	14
Entertainment Options	Embedded	Embedded	Optional PVS	Optional PVS	Optional PVS	Optional PVS
Mobile Device Charger	•	•	•	•	-	-
Network Capabilities	Preva [®] Networked Fitness	Preva® Networked Fitness	CSAFE-enabled	CSAFE-enabled	CSAFE-enabled	CSAFE-enabled
	CSAFE-enabled	CSAFE-enabled				
Max. Workout Time	120 min	120 min	Unlimited	Unlimited	240 min	240 min
Max. Pause Time	120 sec	120 sec	30 sec	30 sec	30 sec	30 sec
Language Selection	English, French, Dutch, German,	English, French, Dutch, German, Korean,	English, French, Dutch, German, Italian,	English, French, Dutch, German, Italian,	English, French, Dutch,	English, French, Dutch,
	Korean, Italian, Russian, Spanish,	Italian, Russian, Spanish,	Portuguese, Russian, Spanish, Japanese	Portuguese, Russian, Spanish	German, Italian, Russian, Spanish,	German, Italian, Russian, Spanish,
	Portuguese, Chinese, Japanese	Portuguese, Chinese, Japanese			Portuguese	Portuguese
Units Selection	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard
Dimensions	80 x 30 x 72 in	80 x 30 x 72 in	80 x 30 x 67 in	80 x 30 x 67 in	84 x 31 x 67 in	84 x 31 x 67 in
(LxWxH) Product Height with P\/S	203 x 76 x 183 cm	203 x 76 x 183 cm	203 x 76 x 170 cm	203 x 76 x 170 cm	213 x 79 x 168 cm	213 x 79 x 168 cm 80 in / 203 cm
Product Height with PVS Product Weight	- 340 lbs / 154 kg	- 340 lbs / 154 kg	80 in / 203 cm 320 lbs / 145 kg	80 in / 203 cm 320 lbs / 145 kg	80 in / 203 cm 245 lbs / 111 kg	245 lbs / 111 kg
Power Requirements	Powered	Powered	Self-powered	Self-powered	Self-powered	Self-powered
Accessories Holder	Fowered	Fowered	- Sell-powered		- Sen-powered	- Sell-powered
Reading Rack	•	•	•	•	•	•
Cable Management	Optional	Optional	Optional	Optional	Optional	Optional
Regulatory Approvals	FCC ,ETL, CE, EN957/ASTM	FCC ,ETL, CE, EN957/ASTM	FCC ,ETL, CE, EN957/ASTM	FCC ,ETL, CE, EN957/ASTM	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957
Warranty*						
Frame	7 years	7 years	7 years	7 years	7 years	7 years
Parts (Mechanical & Electronic)	2 years	2 years	2 years	2 years	2 years	2 years
Labor	1 year	1 year	1 year	1 year	1 year	1 year

Treadmills

Model	TRM 885	TRM 835	TRM 811	946i	932i
				10	
Console					
Console Type					
	P82 Console 15" LCD Capacitive Touch Screen	P30 Console Advanced LED display	P10 Console Advanced LED display	Standard Console Advanced LED Display	Standard Console Streamlined LED Display
Console Features	Preva® Numeric Keypad QuickStart™ Motion Controls	Muscle Monitor™ Numeric Keypad QuickStart™ Motion Controls	Numeric Keypad QuickStart™	Numeric Keypad QuickStart™	Numeric Keypad QuickStart™
Heart Rate Monitoring	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate	Touch Heart Rate Telemetry Heart Rate
Features					
Ground Effects® Technology	•	•	•	•	•
Integrated Footplant Technology	•	•	•	•	•
Decline / Incline	-3 to 15% (in 0.5% increments)	-3 to 15% (in 0.5% increments)	0 to 15% (in 0.5% increments)	0 to 15% (in 0.5% increments)	0 to 15% (in 0.5% increments)
Step-up Height	9.5 in / 24 cm	9.5 in / 24 cm	9.5 in / 24 cm	7.5 in / 19 cm	7.5 in / 19 cm
Speed	0.5 - 16 mph / 0.8 - 25.5 kph	0.5 - 16 mph / 0.8 - 25.5 kph	0.5 - 12 mph / 0.8 - 20 kph	0.5 - 12 mph / 0.8 - 20 kph	0.5 - 12 mph / 0.8 - 20 kph
Auto Stop™	•	•	•	-	-
Power-Factor Correction	•	•	•	-	-
Transport Wheels	•	•	•	•	•
Workouts	27	27	7	13	7
Electronic Readouts	20	21	7	26	14
Entertainment Options	Embedded	Optional PVS	Optional PVS	Optional PVS	Optional PVS
Mobile Device Charger	•	•	•	-	-
Network Capabilities	Preva® Networked Fitness CSAFE-enabled	CSAFE-enabled	-	CSAFE-enabled	CSAFE-enabled
Max. Workout Time	120 min	Unlimited	240 min	240 min	240 min
Max. Pause Time	120 sec	120 sec	120 sec	120 sec	120 sec
Language Selection	English, French, Dutch, German, Italian, Korean, Russian, Spanish, Portuguese Chinese, Japanese	English, French, Dutch, German, Italian, Russian, Spanish, Portuguese, Japanese	English, French, Dutch, German, Italian, Russian, Spanish, Portuguese	English, French, Dutch, German, Italian, Russian, Spanish, Portuguese	English, French, Dutch, German, Italian, Russian, Spanish, Portuguese
Units Selection	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard
Dimensions	83 x 35 x 68.5 in	83 x 35 x 62 in	83 x 35 x 62 in	79 x 34 x 59 in	79 x 34 x 59 in
(LxWxH)	211 x 89 x 174 cm	211 x 89 x 157.5 cm	211 x 89 x 157.5 cm	204 x 86 x 150 cm	204 x 86 x 150 cm
Product Height with PVS	-	78 in / 198 cm	78 in / 198 cm	73 in / 186 cm	73 in / 186 cm
Product Weight	430 lbs / 195 kg	420 lbs / 190 kg	420 lbs / 190 kg	331 lbs / 150 kg	331 lbs / 150 kg
Accessories Holder	•	•	•	•	•
Reading Rack	•	•	•	•	•
Cable Management	Optional	Optional	Optional	Optional	Optional
Regulatory Approvals	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957
Warranty*					
Frame	7 years	7 years	7 years	7 years	7 years
Parts (Mechanical & Electronic)	2 years	2 years	2 years	2 years	2 years
Labor	1 year	1 year	1 year	1 year	1 year

Bikes

Model	UBK 885	UBK 835	UBK 815	UBK 615	RBK 885	RBK 835	RBK 815	RBK 615
	*	1	1	<u>.</u>		× 1	91	9 0
				av .	15	257	25	
Canada						- pr		
Console						24.0 C 21.0 M		
Console Type								
	P82 Console	P30 Console	P10 Console	Standard Console	P82 Console	P30 Console	P10 Console	Standard Console
	15" LCD Capacitive	Advanced LED	Streamlined	Streamlined	15" LCD Capacitive	Advanced LED	Streamlined	Streamlined
	Touch Screen	display	LED display	LED display	Touch Screen	display	LED display	LED display
Console Features	Preva®	Numeric Keypad	Numeric Keypad	Numeric Keypad	Preva®	Numeric Keypad	Numeric Keypad	Numeric Keypad
	Numeric Keypad QuickStart™ Motion Controls	QuickStart™ Motion Controls	QuickStart™	QuickStart™	Numeric Keypad QuickStart™ Motion Controls	QuickStart [™] Motion Controls	QuickStart™	QuickStart™
Heart Rate Monitoring	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate	Touch Heart Rate
0	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate	Telemetry Heart Rate
Features								
Over-molded Handlebars	•	•	•	•	-	-	-	-
Step-through Design	-	-	-	-	•	•	•	•
Resistance Levels	25	25	25	25	25	25	25	25
Transport Wheels	•	•	•	•	•	•	•	•
Workouts	17	12	6	6	17	12	8	6
Electronic Readouts	18	18	8	12	18	18	12	12
Entertainment Options	Embedded	Optional PVS	Optional PVS	Optional PVS	Embedded	Optional PVS	Optional PVS	Optional PVS
Mobile Device Charger	•	•	•	-	•	•	•	-
Network Capabilities	Preva Networked Fitness™ CSAFE-enabled	CSAFE-enabled	-	CSAFE-enabled	Preva Networked Fitness™ CSAFE-enabled	CSAFE-enabled	-	CSAFE-enabled
Max. Workout Time	120 min	Unlimited	120 min	120 min	120 min	Unlimited	120 min	120 min
Max. Pause Time	5 min	30 sec	30 sec	30 sec	5 min	30 sec	30 sec	30 sec
Language Selection	English, French, Dutch,	English, French, Dutch,	English, French, Dutch,	English, French, Dutch,	English, French, Dutch,	English, French, Dutch,	English, French, Dutch,	English, French, Dutch,
	German, Italian, Russian,	German, Italian, Portuguese,	German, Italian,	German, Italian,	German, Italian, Russian,	German, Italian, Portuguese,	German, Italian,	German, Italian,
	Spanish, Portuguese,	Russian, Spanish, Japanese	Russian, Spanish,	Russian, Spanish,	Spanish, Portuguese,	Russian, Spanish	Russian, Spanish,	Russian, Spanish,
	Chinese, Japanese, Korean		Portuguese	Portuguese	Chinese, Japanese		Portuguese	Portuguese
Units Selection	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard	Metric / U.S. Standard
Dimensions	48 x 21 x 62 in	48 x 21 x 62 in	48 x 21 x 57 in	48 x 21 x 57 in	67 x 23 x 54 in	67 x 23 x 54 in	67 x 23 x 49 in	67 x 23 x 54 in
(LxWxH)	122 x 53 x 157 cm	122 x 53 x 157 cm	122 x 53 x 146 cm	122 x 53 x 146 cm	170 x 58 x 136 cm	170 x 58 x 136 cm	170 x 58 x 124 cm	170 x 58 x 136 cm
Product Height with PVS	-	72 in / 183 cm	70 in / 178 cm	70 in / 178 cm	-	63 in / 160 cm	63 in / 160 cm	63 in / 160 cm
Product Weight	169 lbs / 77 kg	160 lbs / 73 kg	160 lbs / 73 kg	160 lbs / 73 kg	219 lbs / 99 kg	210 lbs / 95 kg	210 lbs / 95 kg	210 lbs / 95 kg
Power	Powered	Self-powered	Self-powered	Self-powered	Powered	Self-powered	Self-powered	Self-powered
Accessories Holder	•	•	•	•	•	•	•	•
Reading Rack	•	•	•	•	•	•	•	•
Cable Management	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Regulatory Approvals	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957	FCC, ETL, CE, EN957
Warranty*								
	7 years	7 years	7 years	7 years	7 years	7 years	7 years	7 years
Frame	7 years		· • • •					
Frame Parts (Mechanical & Electronic)	2 years	2 years	2 years	2 years	2 years	2 years	2 years	2 years

Climber

Model	CLM 835
Console	
Console Type	P30 Console Advanced LED display
Console Features	Numeric Keypad QuickStart [™] Motion Controls
Heart Rate Monitoring	Touch Heart Rate Telemetry Heart Rate
Features	
6-Phase Generator	•
Step Range	30 - 180
Resistance Levels	31
Transport Wheels	•
Workouts	14
Electronic Readouts	21
Entertainment Options	Optional PVS
Mobile Device Charger	•
Network Capabilities	CSAFE-enabled
Max. Workout Time	240 min
Max. Pause Time	30 sec
Language Selection	English, French, Dutch, German, Italian,
	Russian, Spanish, Portuguese, Japanese
Units Selection	Metric / U.S. Standard
Dimensions	47 x 32 x 69 in
(LxWxH)	119 x 81 x 175 cm
Product Height with PVS	85 in / 208 cm
Product Weight	250 lbs / 113 kg
Power	Self-powered
Accessories Holder	
Reading Rack	-
Cable Management	
Regulatory Approvals Warranty*	FCC, ETL, CE, EN957
Frame	7 years
Parts (Mechanical & Electronic)	2 years
Labor	1 year

StretchTrainer[™]

Model	240i
	E.
Console	
Console Type	-
Console Features	-
Heart Rate Monitoring	-
Features	
Handlebars	•
Step Range	-
Resistance Levels	-
Transport Wheels	-
Workouts	8
Electronic Readouts	
Entertainment Options	-
Mobile Device Charger	-
Network Capabilities	-
Max. Workout Time	-
Max. Pause Time	-
Language Selection	English, German
Units Selection	-
Dimensions	52 x 28 x 36 in
(LxWxH)	132 x 71 x 91 cm
Product Height with PVS	-
Product Weight	60 lbs / 27 kg
Power	-
Accessories Holder	-
Reading Rack	-
Cable Management	-
Regulatory Approvals	EN957
Warranty	
Frame	5 years
Parts (Mechanical & Electronic)	-
Wear items	3 month
Labor	-

Discovery[™] Series Selectorized Line

Model	Biceps Curl DSL0204	Triceps Extension DSL0208	Seated Dip DSL0215	Lat Pulldown DSL0304	Seated Row DSL0310	Back Extension DSL0313	Rotary Torso DSL0315	Chest Press DSL0404	Shoulder Press DSL0500	Lateral Raise DSL0504	Rear Delt / Pec Fly DSL0505	Leg Press DSL0602
	- 10								M		h	
Exercise	Upper Body	Upper Body	Upper Body	Upper Body	Upper Body	Core	Core	Upper Body	Upper Body	Upper Body	Upper Body	Lower Body
Features												
Instructional Placard	•	•	•	•	•	•	•	•	•	•	•	•
Weight Stack	160 lbs / 73 kg	160 lbs / 73 kg	240 lbs / 109 kg	240 lbs / 109 kg	240 lbs / 109 kg	160 lbs / 73 kg	160 lbs / 73 kg	240 lbs / 109 kg	200 lbs / 91 kg	160 lbs / 73 kg	240 lbs / 109 kg	400 lbs / 182 kg
Integrated Add-On Weight	•	•	•	•	•	•	•	•	•	•	•	•
Rubber Feet	•	•	•	•	•	•	•	•	•	•	•	•
Accessories Holder	•	•	•	•	•	•	•	•	•	•	•	•
Colors												
Color of Shroud	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern
	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue
Color of Frame	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver		Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver
	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash
	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze
	Black Magic Gloss	-	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	-	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss
	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White
Color of Upholstery	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
(Standard)	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue
	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika
	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite
	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue
	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate
	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red
	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotts	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions												
Machine Weight	434 lbs / 197 kg	442 lbs / 200 kg	463 lbs / 255 kg	619 lbs / 281 kg	565 lbs / 258 kg	488 lbs / 221 kg	451 lbs / 205 kg	530 lbs / 240 kg	538 lbs / 244 kg	498 lbs / 226 kg	594 lbs / 269 kg	875 lbs / 397 kg
Dimensions	47 x 44 x 59 in	47 x 44 x 59 in	47 x 49 x 59 in	67 x 61 x 77 in	52 x 49 x 77 in	48 x 43 x 59 in	50 x 54 x 59 in	58 x 59 x 59 in	67 x 52 x 69 in	53 x 49 x 59 in	54 x 56 x 84 in	77 x 48 x 59 in
(LxWxH)	119 x 112 x 150 cm	119 x 112 x 150 cm	119 x 125 x 150 cm	170 x 155 x 196 cm	132 x 124 x 196 cm	122 x 109 x 150 cm	127 x 137 x 150 cm	147 x 150 x 150 cm	170 x 132 x 150 cm	135 x 125 x 150 cm	137 x 142 x 213 cm	196 x 122 x 150 cm
Workout Area	49 x 43 in	49 x 42 in	48 x 49 in	66 x 63 in	52 x 49 in	78 x 51 in	53 x 46 in	64 x 59 in	65 x 52 in	53 x 56 in	82 x 82 in	87 x 48 in
(LxW)	124 x 109 cm	124 x 103 cm	121 x 124 cm	168 x 160 cm	132 x 124 cm	198 x 130 cm	134 x 116 cm	163 x 150 cm	165 x 132 cm	134 x 142 cm	208 x 208 cm	221 x 122 cm
Regulatory Approvals	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM	EN957 ASTM
Warranty*												
Frame (structural & weldments)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Structural moving parts, weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Wear Items	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

Discovery[™] Series Selectorized Line

Discovery [™] Series	Selectorize								Advanced Movem	ent Design [™]		
Model	Leg Extension DSL0605	Prone Leg Curl DSL0606	Glute Extension DSL0618	Seated Leg Curl DSL0619	Inner Thigh DSL0620	Outer Thigh DSL0621	Calf Extension DSL0623	Abdominal DSL0714	Div Lat Pulldown	Diverging Low Row DSL0324	Conv Chest Press DSL0414	Conv Shidr Press DSL0515
			T.						F			
Exercise	Lower Body	Lower Body	Lower Body	Lower Body	Lower Body	Lower Body	Lower Body	Core	Upper Body	Upper Body	Upper Body	Upper Body
Features												
Instructional Placard	•	•	•	•	•	•	•	•	•	•	•	•
Weight Stack	240 lbs / 109 kg	200 lbs / 91 kg	160 lbs / 73 kg	240 lbs / 109 kg	200 lbs / 91 kg	200 lbs / 91 kg	200 lbs / 91 kg	200 lbs / 91 kg	200 lbs / 91 kg	200 lbs / 91 kg	200 lbs / 91 kg	200 lbs / 91 kg
Integrated Add-On Weight	•	•	•	•	•	•	•	•	•	•	•	•
Rubber Feet	•	•	•	•	•	•	•	•	•	•	•	•
Accessories Holder	•	•	•	•	•	•	•	•	•	•	•	•
Colors												
Color of Shroud	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern	Dark Cavern
	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue	Pacific Blue
Color of Frame	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver
	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash
	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze	Desert Bronze
	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss
	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White	Gloss White
Color of Upholstery												
(Standard)	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
(Standard)	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue
	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika
	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite
	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue
	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate
	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red
	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions												
Machine Weight	575 lbs / 261 kg	497 bs / 225 kg	448 lbs / 203 kg	594 lbs / 269 kg	544 lbs / 247 kg	544 lbs / 247 kg	442 lbs / 200 kg	523 lbs / 237 kg	619 lbs / 281 kg	508 lbs / 230 kg	530 lbs / 240 kg	510 lbs / 231 kg
Dimensions	53 x 49 x 59 in	61 x 48 x 59 in	53 x 40 x 59 in	61 x 49 x 59 in	66 x 30 x 59 in	66 x 30 x 59 in	53 x 44 x 59 in	51 x 50 x 59 in	47 x 50 x 84 in	77 x 48 x 59 in	64 x 49 x 72 in	61 x 59 x 61 in
(LxWxH)	135 x 125 x 150 cm	155 x 122 x 150 cm	135 x 102 x 150 cm	155 x 124 x 150 cm	169 x 76 x 150 cm	169 x 76 x 150 cm	134 x 112 x 150 cm	130 x 127 x 150 cm	119 x 127 x 213 cm	196 x 122 x 150 cm	163 x 125 x 183 cm	155 x 150 x 155 cm
Workout Area	66 x 50 in	47 x 61 in	40 x 84 in	66 x 50 in	66 x 55 in	66 x 55 in	66 x 50 in	54 x 51 in	66 x 63 in	87 x 48 in	XX x XX in	65 x 52 in
(LxW)	168 x 127 cm	119 x 155 cm	101 x 213 cm	168 x 127 cm	168 x 139 cm	168 x 139 cm	168 x 127 cm	137 x 130 cm	168 x 160 cm	221 x 122 cm	XXX x XXX cm	165 x 132 cm
Regulatory Approvals	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957
	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM
Warranty*												
Frame (structural & weldments)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Wear Items	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

Vitality[™] Series

Model	Chest Press	Shoulder Press	Pulldown	Seated Row	Bicep Curl	Tricep Extension	Leg Extension	Seated Leg Curl	Abdominal	Back Extension
	C001ES	C012ES	C002ES	C019ES	COO3ES	C023ES	COO5ES	C007ES	C014ES	C011ES
	Ŀ	IJ		E		NT.		4	Jef	I ;
Exercise	Upper Body	Upper Body	Upper Body	Upper Body	Upper Body	Upper Body	Lower Body	Lower Body	Core	Core
Features										
Instructional Placard	•	•	•	•	•	•	•	•	•	•
Weight Stack	240 lbs / 110 kg	200 lbs / 91 kg	220 lbs / 100 kg	240 lbs / 110 kg	170 lbs / 78 kg	170 lbs / 78 kg	200 lbs / 91 kg	170 lbs / 78 kg	200 lbs / 91 kg	200 lbs / 91 kg
Integrated Add-On Weight	•	•	•	•	•	•	•	•	•	•
Rubber Feet	•	•	•	•	•	•	•	•	•	•
Accessories Holder	•	•	•	•	•	•	•	•	•	•
Colors										
Color of Shroud	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent
Color of Frame	Experience	Experience	Experience	Experience	Experience	Experience	Experience	Experience	Experience	Experience
	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium
Color of Upholstery	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
(Standard)										
Colors of Upholstery										
(Optional)	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue
	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika
	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate
	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue
	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red
	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite
	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions										
Machine Weight	450 lbs / 205 kg	430 lbs / 195 kg	475 lbs / 215 kg	460 lbs / 210 kg	395 lbs / 180 kg	395 lbs / 180 kg	462 lbs / 210 kg	450 lbs / 205 kg	465 lbs / 210 kg	450 lbs / 205 kg
Dimensions	39 x 51 x 69 in	59 x 56 x 57 in	55.5 x 40 x 88 in	50 x 47 x 69 in	47 x 40 x 57 in	46 x 40 x 57 in	52 x 43 x 57 in	62 x 43 x 57 in	58 x 39 x 57 in	53 x 39 x 57 in
(LxWxH)	99 x 130 x 175 cm	150 x 142 x 145 cm	141 x 102 x 223.5 cm	127 x 119 x 175 cm	119 x 102 x 154 cm	117 x 102 x 145 cm	132 x 109 x 145 cm	157 x 109 x 145 cm	147 x 99 x 145 cm	135 x 99 x 145 cm
Workout Area	65 x 51 in	62 x 56 in	76 x 127 in	50 x 47 in	54 x 40 in	70 x 40 in	69 x 43 in	67 x 43 in	58 x 39 in	53 x 39 in
(LxW)	166 x 130 cm	158 x 142 cm	193 x 323 cm	127 x 119 cm	137 x 102 cm	178 x 102 cm	176 x 109 cm	171 x 109 cm	147 x 99 cm	135 x 99 cm
Regulatory Approvals	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957
	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM
Warranty*										
Frame (structural & weldments)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Wear Items	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

Vitality[™] Series

Model	Multi-Press	Rear Delt / Pec Fly	Pulldown / Seated Row	Bicep Curl / Tricep Ext.	Leg Extension / Leg Curl	Leg Press / Calf Ext.	Inner / Outer Thigh	Abdominal / Back Ext.
	C024ES	C015ES	C026ES	C025ES	C027ES	C010ES	COO8ES	C028ES
								ŀ
Exercise	Dual Exercise	Dual Exercise	Dual Exercise	Dual Exercise	Dual Exercise	Dual Exercise	Dual Exercise	Dual Exercise
Features								
Instructional Placard	•	•	•	•	•	•	•	•
Weight Stack	240 lbs / 110 kg	240 lbs / 110 kg	220 lbs / 100 kg	170 lbs / 78 kg	240 lbs / 110 kg	240 lbs / 110 kg	170 lbs / 78 kg	200 lbs / 91 kg
Integrated Add-On Weight	•	•	•	•	•	•	•	•
Rubber Feet	•	•	•	•	•	•	•	•
Accessories Holder	•	•	•	•	•	•	•	•
Colors								
Color of Shroud	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent
Color of Frame	Experience	Experience	Experience	Experience	Experience	Experience	Experience	Experience
	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium	Titanium
Color of Upholstery	Black	Black	Black	Black	Black	Black	Black	Black
(Standard)								
Colors of Upholstery								
(Optional)	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue	Imperial Blue
	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika	Paprika
	Slate	Slate	Slate	Slate	Slate	Slate	Slate	Slate
	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue	Royal Blue
	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red	American Beauty Red
	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite	Graphite
	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions								
Machine Weight	450 lbs / 205 kg	470 lbs / 240 kg	490 lbs / 222 kg	395 lbs / 180 kg	530 lbs / 240 kg	530 lbs / 240 kg	440 lbs / 200 kg	460 lbs / 210 kg
Dimensions	72 x 48 x 69 in	40 x 54 x 78 in	76 x 48 x 87 in	51 x 43 x 57 in	64 x 43 x 57 in	64 x 43 x 57 in	64 x 31 x 57 in	59 x 39 x 57 in
(LxWxH)	183 x 122 x 175 cm	102 x 137 x 198 cm	193 x 122 x 221 cm	130 x 110 x 145 cm	163 x 109 x 145 cm	163 x 109 x 145 cm	163 x 79 x 145 cm	150 x 99 x 145 cm
Workout Area	96 x 60 in	40 x 66 in	76 x 59 in	63 x 43 in	71 x 43 in	82 x 43 in	64 x 69 in	63 x 39 in
(LxW)	244 x 152 cm	102 x 168 cm	193 x 150 cm	160 x 110 cm	180 x 109 cm	209 x 109 cm	163 x 176 cm	160 x 99 cm
Regulatory Approvals	EN957	EN957	EN957	EN957	EN957	EN957	EN957	EN957
	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM	ASTM
Warranty*								
Frame (structural & weldments)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Wear Items	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

Discovery[™] Series Plate Loaded Line

Model	Chest Press	Shoulder Press	Incline Press	Pulldown	Seated Row	Biceps Curl	Leg Curl	Seated Dip	Low Row	Leg Extension	Calf Raise
	DPL0540	DPL0550	DPL0541	DPL0305	DPL0309	DPL0520	DPL0561	DPL0521	DPL0308	DPL0560	DPL0616
	L.	U	U				A.			A.	R
Features											
Instructional Placard	•	•	•	•	•	•	•	•	•	•	•
Rubber Feet	•	•	•	•	•	•	•	•	•	•	•
Weight Storage Horns	6	4	6	4	2	4	4	4	4	4	-
Colors											
Color of Frame	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White
Color of Movement Arms	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash	Metallic Ash
	Gloss Metallic Silver		Gloss Metallic Silver		Gloss Metallic Silver		Gloss Metallic Silver				
Color of Upholstery (Standard)	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Bauty Red	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Baauty Red	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red					
Weight C Dimensions	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions	252 lbs (160 lbs	210 lbs / 141 lbs	246 lbs / 157 lbs	226 lbs (140 lbs	240 lbs / 154 lbs	250 lbs / 117 lbs	221 lbs / 150 lbs	207 lbs / 120 lss	244 lbs / 156 lbs	201 lbs (122 lbs	165 lbs / 75 lbs
Machine Weight Starting Weight	353 lbs / 160 kg	310 lbs / 141 kg	346 lbs / 157 kg	326 lbs / 148 kg	340 lbs / 154 kg 10 lbs / 4.5 kg	258 lbs / 117 kg	331 lbs / 150 kg	287 lbs / 130 kg	344 lbs / 156 kg 15 lbs / 6.5 kg	291 lbs / 132 kg	165 lbs / 75 kg
Max. Load Weight	12 lbs / 5.5 kg 450 lbs / 204 kg	10 lbs / 4.5 kg 360 lbs / 163 kg	12 lbs / 5.5 kg 450 lbs / 204 kg	5 lbs / 2.5 kg 450 lbs / 204 kg	450 lbs / 204 kg	12 lbs / 5.4 kg 225 lbs / 102 kg	11 lbs / 5 kg 180 lbs / 82 kg	8 lbs / 3.6 kg 360 lbs / 163 kg	450 lbs / 204 kg	13 lbs / 5.9 kg 180 lbs / 82 kg	25 lbs / 11 kg 225 lbs / 204 kg
Dimensions	43 x 67 x 70 in	57 x 60.5 x 62 in	43 x 78 x 70.5 in	66 x 51 x 76.5 in	58 x 50 x 49 in	53 x 38 x 48 in	48 x 66 x 55 in	72 x 41 x 37 in	61 x 50.5 x 67 in	62 x 63 x 47 in	59 x 30 x 40 in
(LxWxH)	110x169.5x177.5 cm		110 x 199 x 179 cm			136 x 97 x 121 cm	122 x 167 x 140 cm	184 x 103 x 94 cm	155 x 128 x 171 cm	158 x 159 x 120 cm	150 x 76 x 101 cm
Warranty*						Jente Allerolli					
Frame (structural & weldments)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Wear Items	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

Discovery[™] Series Plate Loaded Line

Model	Smith Machine	Angled Leg Press	Hack Squat Machine
	DPL0802	DPL0601	DPL0603
	D.	St.	-
Features			
Instructional Placard	•	•	•
Rubber Feet	•	•	•
Weight Storage Horns	6	4	4
Colors			
Color of Frame	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White
Color of Movement Arms	Metallic Ash Gloss Metallic Silver	Metallic Ash Gloss Metallic Silver	Metallic Ash Gloss Metallic Silver
Color of Upholstery (Standard)	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta
Weight & Dimensions			
Machine Weight	395 lbs / 179 kg	556 lbs / 252 kg	455 lbs / 206 kg
Starting Weight	25 lbs / 11.3 kg	136 lbs / 62 kg	89 lbs / 40 kg
Max. Load Weight	600 lbs / 272 kg	1080 lbs / 490 kg	720 lbs / 327 kg
Dimensions	56 x 84 x 90 in	94 x 55 x 56.5 in	83 x 63 x 56.5 in
(LxWxH)	142 x 214 x2 29 cm	239 x 140 x 144 cm	211 x 160 x 144 cm
Warranty*			
Frame (structural & weldments)	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year
14/ 11	6 months	6 months	6 months
Wear Items Labor	0 111011113		0 1110111110

Discovery[™] Series Benches & Racks Line

Model	Flat Bench DBR0101	Adjustable Decline Bench DBR0113	Multi-Purpose Bench DBR0116	Multi-Adjustable Bench DBR0119	Olympic Flat Bench DBR0408	Olympic Incline Bench DBR0410
	~	k	-	A	14	A.C.
Features						
Rubber Feet	•	•	•	•	•	•
Weight Storage Horns	-	-	-	-	4	4
Colors						
Color of Frame Color of Upholstery (Standard)	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta
Weight & Dimensions						
Machine Weight	64 lbs / 29 kg	131 lbs / 59 kg	82 lbs / 37.3 kg	106 lbs / 48 kg	188.3 lbs / 85.4 kg	221 lbs / 100 kg
Max. Lift Load Capacity	52.4 x 29.5 x 15 in	64 x 30 x 39 in	49 x 30 x 33 in	400 lbs / 181.5 kg	73 x 65 x 51.2 in	79 x 65 x 55 in
Storage Weight	133 x 75 x 38 cm	163 x 76 x 99 cm	125 x 76 x 84 cm	-	185 x 165 x 130 cm	201 x 165 x 139.7 cm
Dimensions	124 x 102 in	64 x 30 in	83 x 66 in	55 x 29.5 x 18 in	97 x 108 in	103 x 108 in
(LxWxH)	315 x 259 cm	163 x 76 cm	211 x 168 cm	140 x 75 x 46 cm	246.5 x 274.3 cm	262 x 274.3 cm
Warranty*			10 years			
Frame (structural & weldments)	10 years	10 years	1 year	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	5 years	1 year	1 year	1 year
Structural moving parts, weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	1 year	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	6 months	1 year	1 year	1 year
Wear Items	6 months	6 months	1 year	6 months	6 months	6 months
Labor	1 year	1 year		1 year	1 year	1 year

Model	Olympic Decline Bench DBR0411	Olympic Shoulder Press Bench DBR0507	Olympic Squat Rack DBR0608	Half Rack DBR0610	Power Rack DBR0611	Barbell Rack DBR0808	2 Tier, 10 Pair Dumbbell Rack DBR0812	Beauty Bell Rack DBR0813	3 Tier, 10 Pair Dumbbell Rack DBR0814	3 Tier, 15 Pair Dumbbell Rack DBR0815
	1.	L	1				H	H.	AL	
Features										
Rubber Feet	•	•	•	•	•	•	•	•	•	•
Weight Storage Horns	4	4	8	10	10					
Colors										
Color of Frame	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White
Color of Upholstery (Standard)	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	Black Mahogany Imperial Blue Paprika Graphite Royal Blue Slate American Beauty Red Terra Cotta	-	-	-	-	-	-	-	-
Weight & Dimensions										
Machine Weight	217 lbs / 98.4 kg	301 lbs / 136.3 kg	273 lbs / 124 kg	453 lbs / 206 kg	613 lbs / 278 kg	183 lbs / 83 kg	207 lbs / 93.9 kg	205 lbs / 93 kg	213 lbs / 96.7 kg	300 lbs / 136 kg
Max. Lift Load Capacity	83 x 65 x 51.2 in	53.4 x 64 x 72 in	67 x 64 x 74 in	600 lbs / 206 kg	800 lbs / 363 kg	41.3 x 33.5 x 59 in	87 x 28 x 32 in	51 x 30.3 x 41 in	51 x 30.3 x 41.4 inches	87 x 30.3 x 42 in
Storage Weight	210 x 165 x 130 cm	135.5 x 162 x 183 cm	171 x 163 x 188 cm	1800 lbs / 363 kg	1800 lbs / 817 kg	105 x 85 x 150 cm	220 x 70 x 81 cm	130 x 77 x 105 cm	130 x 77 x 105 cm	220 x 77 x 106 cm
Dimensions	107 x 108 in	70 x 31 in	10.5 x 9 ft	71 x 61 x 98.5 in	83 x 63 x 98.5 in	N/A	N/A	N/A	28 x 58 in	N/A
(LxWxH)	272 x 274.3 cm	178 x 78 cm	503 x 274 cm	180 x 155 x 250 cm	210 x 160 x 250 cm				71 x 147 cm	
Warranty*	10	10	10	10	10	10	10	10	10	10
Frame (structural & weldments)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year	1 year	1 year	1 year 5 years	1 year 5 years	1 year	1 year 5 years	1 year	1 year
Structural moving parts, weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Wear Items	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months	6 months
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

$\mathsf{Discovery}^{\scriptscriptstyle{\mathsf{M}}}\operatorname{Series}\operatorname{Benches}\&\operatorname{Racks}\operatorname{Line}$

Model	Weight Plate Tree DBR0817	Handle Rack DBR0818
Features		
Rubber Feet	•	•
Weight Storage Horns	-	
Colors		Gloss Metallic Silver
Color of Frame	Gloss Metallic Silver Metallic Ash Desert Bronze Black Magic Gloss Gloss White	Metallic Ash Desert Bronze Black Magic Gloss Gloss White
Color of Upholstery (Standard)	-	-
Weight & Dimensions		
Machine Weight	77 lbs / 35 kg	128 lbs / 57.8 kg
Max. Lift Load Capacity	-	37 x 26 x 42 in
Storage Weight Dimensions	- 26 x 30 x 47 in	94 x 66 x 107 cm N/A
(LxWxH)	65 x 75 x 120 cm	
Warranty*		
Frame (structural & weldments)	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year
Structural moving parts, weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year
Wear Items	6 months	6 months
Labor	1 year	1 year

Icarian[®] Benches and Racks

Model	Ab-X	V-Crunch	Seated Preacher Curl	Back Extension	Vertical Knee Up
		. /	202	312	702
	Q()			-	-
	1	181	15		66
	10	1	mp -		de
Machine	Benches & Racks				
Features					
Rubber Feet	•	-	•	•	•
Colors					
Color of Frame	Gloss Metallic Silver				
	Gloss White	Gloss White	Metallic Ash	Metallic Ash	Metallic Ash
			Desert Bronze	Desert Bronze	Desert Bronze
			Black Magic Gloss	Black Magic Gloss	Black Magic Gloss
			Gloss White	Gloss White	Gloss White
Color of Upholstery	Black	Black	Black	Black	Black
			Mahogany	Mahogany	Mahogany
			Imperial Blue	Imperial Blue	Imperial Blue
			Paprika	Paprika	Paprika
			Graphite	Graphite	Graphite
			Royal Blue	Royal Blue	Royal Blue
			Slate	Slate	Slate
			American Beauty Red	American Beauty Red	American Beauty Red
			Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions					
Machine Weight	150 lbs / 68 kg	205 lbs / 93 kg	120 lbs / 54 kg	125 lbs / 57 kg	190 lbs / 86 kg
Dimensions	68 x 36 x 38 in	50 x 28 x 63 in	52 x 33 x 38 in	47 x 35 x 26 in	36 x 30 x 57 in
(LxWxH)	173 x 90 x 97 cm	127 x 71 x 160 cm	133 x 84 x 96 cm	120 x 89 x 67 cm	90 x 76 x 145 cm
Workout Area	68 x 36 in	50 x 28 in	52 x 33 in	47 x 35 in	36 x 30 in
(LxW)	173 x 90 cm	127 x 71 cm	133 x 84 cm	120 x 89 cm	90 x 76 cm
Warranty*					
Frame (structural & weldments)	10 years				
Surface Areas (painted & plated)	1 year				
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years				
Other (handles, end caps, cables, selector pins, and shrouds)	1 year				
Wear Items	6 months				
Labor	1 year				

Icarian[®] Plate Loaded Line

Model	Incline Lever Row 311	Super Squat 624
	Ar	
Machine	Plate-Loaded	Plate-Loaded
Features		
Instructional Placard	-	-
Single Weight Stack	-	-
Dual Weight Stack	-	-
Weight Stack - Standard	-	-
Weight Stack - Heavy	-	-
Rubber Feet (Optional)	•	•
Add-On Weight	-	-
Colors		
Color of Frame	Gloss Metallic Silver	Gloss Metallic Silver
	Metallic Ash	Metallic Ash
	Desert Bronze	Desert Bronze
	Black Magic Gloss	Black Magic Gloss
Color of Upholstery	Gloss White Black	Gloss White Black
(Standard)	Mahogany	Mahogany
(Standard)	Imperial Blue	Imperial Blue
	Paprika	Paprika
	Graphite	Graphite
	Royal Blue	Royal Blue
	Slate	Slate
	American Beauty Red	American Beauty Red
	Terra Cotta	Terra Cotta
Weight & Dimensions		
Machine Weight	190 lbs / 86 kg	430 lbs / 196 kg
Dimensions	73 x 31 x 47 in	70 x 64 x 58 in
(LxWxH)	185 x 79 x 119 cm	201 x 163 x 147 cm
Workout Area	73 x 31 in	70 x 64 in
(LxW)	185 x 79 cm	201 x 163 cm
Warranty*		
Frame (structural & weldments)	10 years	10 years
Surface Areas (painted & plated)	1 year	1 year
Structural moving parts , weight stack plates and components, bearings, bushings, pulleys, seat adjustments	5 years	5 years
Other (handles, end caps, cables, selector pins, and shrouds)	1 year	1 year
Wear Items	6 months	6 months
Labor	1 year	1 year

Model	Multi-Gym	Functional Training System	Adjustable Cable Crossover	FTS Glide	Longpull	Pulldown	Dip/Chin Assist
	820	FTS	407B	1961 19	302	304	320
					-	1	J.
Machine	Multi-Station	Functional Trainer	Functional Trainer	Functional Trainer	Machine Defined	Machine Defined	Machine Defined
Features							
Instructional Placard	-	•	-	•	-	-	-
Single Weight Stack	-	-	-	-	•	•	•
Dual Weight Stack	•	•	•	•	-	-	-
Weight Stack - Standard	**See Below	190 lbs / 86 kg	150 lbs / 68 kg	2 x 200 lbs / 2 x 91 kg	250 lbs / 114 kg	250 lbs / 114 kg	200 lbs / 91 kg
Weight Stack - Heavy	-	-	200 lbs / 91 kg	-	300 lbs / 136 kg	300 lbs / 136 kg	-
Rubber Feet (Optional)	•	•	•	-	•	•	•
Add-On Weight	-	•	-	-	•	•	-
Colors							
Color of Frame	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver	Experience Titanium	Gloss Metallic Silver	Gloss Metallic Silver	Gloss Metallic Silver
	Metallic Ash	Metallic Ash	Metallic Ash	-	Metallic Ash	Metallic Ash	Metallic Ash
	Desert Bronze	Desert Bronze	Desert Bronze		Desert Bronze	Desert Bronze	Desert Bronze
	Black Magic Gloss	Black Magic Gloss	Black Magic Gloss		Black Magic Gloss	Black Magic Gloss	Black Magic Gloss
	Gloss White	Gloss White	Gloss White		Gloss White	Gloss White	Gloss White
Color of Upholstery	Black				Black	Black	Black
(Standard)	Mahogany				Mahogany	Mahogany	Mahogany
	Imperial Blue				Imperial Blue	Imperial Blue	Imperial Blue
	Paprika				Paprika	Paprika	Paprika
	Graphite	-	-	-	Graphite	Graphite	Graphite
	Royal Blue				Royal Blue	Royal Blue	Royal Blue
	Slate				Slate	Slate	Slate
	American Beauty				American Beauty	American Beauty	American Beauty
	Terra Cotta				Terra Cotta	Terra Cotta	Terra Cotta
Weight & Dimensions							
Machine Weight	3251 lbs / 1475 kg	840 lbs / 382 kg	870 lbs / 396 kg	672 lbs / 305 kg	590 lbs / 268 kg	545 lbs / 248 kg	635 lbs / 289 kg
Dimensions	183 x 158 x 92 in	98 x 58 x 91 in	176 x 43 x 91 in	53 x 46 x 85 in	111 x 43 x 93 in	73 x 43 x 92 in	61 x 54 x 93 in
(LxWxH)	465 x 402 x 234 cm	249 x 147 x 230 cm	447 x 109 x 231 cm	135 x 123 x 216 cm	282 x 109 x 236 cm	185 x 109 x 234 cm	155 x 137 x 236 cm
Workout Area	-	98 x 96 in	-	53 x 84 in	111 x 43 in	73 x 43 in	61 x 54 in
(LxW)	-	250 x 240 cm	-	140 x 220 cm	282 x 109 cm	185 x 109 cm	155 x 137 cm
Warranty*							
Frame	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Parts (Mechanical & Electronic)	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Wear items	6 month	6 month	6 month	6 month	6 month	6 month	6 month
Other (including Hand Grips, End	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Caps, Cables, Selector Pins, Shrouds)							
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year

*Consult your Limited Warranty statement for covered items.

**Pulldown 250 lbs (113kg), Longpull 250 lbs (113 kg), Pushdown 200lbs (91 kg), Adj. Hi/Low 200 lbs (91 kg), Dip/Chin 150 lbs (68 kg)

Modular System	CW2004	CW2006	CW2008	CW2055	CW2151	CW2200	CW2502	CW2912	CW2131	CW2137	CW2163	CW2168
		Ū.	Q						±.		Q	
Stack	2-Stack Multi-	2-Stack Multi-	2-Stack Multi-	3-Stack Multi-	3-Stack Multi-	3-Stack Multi-	3-Stack Multi-	3-Stack Multi-	4-Stack Multi-	4-Stack Multi-	4-Stack Multi-	4-Stack Multi-
	Station	Station	Station	Station	Station	Station	Station	Station	Station	Station	Station	Station
Stations	Pulldown	Longpull	Pulldown	Dip-Chin Assist	Dip-Chin Assist	Dip-Chin Assist	Dip-Chin Assist	Dip-Chin Assist	Pulldown	Pulldown	Longpull	Longpull
	Longpull	Longpull	Pulldown	Cable Crossover	Cable Crossover	Cable Crossover	Cable Crossover	Cable Crossover	Dip/Chin Assist	Hi/Lo Pulley	Pulldown	Pulldown
									Hi/Lo Pulley	Hi/Lo Pulley	Tricep Pushdown	Tricep Pushdown
									Longpull	Longpull	Dip/Chin Assist	Hi/Lo Pulley
Longpull	•	••							•	•	•	•
Pulldown	•								•	•	•	•
Tricep Pushdown											•	•
Adjustable Hi/Lo Pulley									•	••		•
Dip/Chin Assist				•	•	•	•	•	•		•	
Cable Crossover*				•	•	•	•	•				
Dimensions												
(LxWxH)	152 x 44 x 93 in	190 x 43 x 93 in	114 x 44 x 93 in	204.5 x 53.5 x 91.8 in	129.75 x 85 x 91.8 in	202 x 186.8 x 91.8 in	277 x 186.8 x 91.8 in	407 x 175 x 91.8 in	188 x 86 x 93 in	188 x 68 x 93 in	157 x 118 x 93 in	137 x 118 x 93 in
	387 x 112 x 236 cm	483 x 110 x 236 cm	290 x 112 x 236 cm	519 x 136 x 233 cm	513 x 474.5 x 233 cm	519 x 474.5 x 233 cm	703 x 474.5 x 233 cm	1034 x 444 x 233 cm	478 x 219 x 236 cm	468 x 172 x 236 cm	399 x 300 x 236 cm	343 x 300 x 236 cm
Warranty*												
Frame	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Parts (Mechanical & Electronic)	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Wear items	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month
Other (including Hand Grips, End Caps, Cables, Selector Pins, Shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

*Consult your Limited Warranty statement for covered items.

 $^{\star} \text{Cable Crossover}$ has two Adjustable Hi/Lo Pulley stations connected by an overhead beam with pull-up bar.

Modular System	CW2180	CW2190	CW2151	CW2201	CW2205	CW2200	CW2222	CW2223	CW2224	CW2270	CW2275
				a a 77 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a <mark>∰</mark> a a }, i uuu		₽ • • • • • •	╺ ╸┿┍ ┍┍╴ ┊ ╉			
Stack	4-Stack Multi-	4-Stack Multi-	4-Stack Multi-	5-Stack Multi-	5-Stack Multi-	5-Stack Multi-	6-Stack Multi-	6-Stack Multi-	6-Stack Multi-	6-Stack Multi-	6 -Stack Multi-
	Station	Station	Station	Station	Station	Station	Station	Station	Station	Station	Station
Stations	Pulldown	Longpull	Pulldown	Dip/Chin Assist	Pulldown	Cable Crossover	Dip/Chin Assist	Hi/Lo Pulley	Hi/Lo Pulley	Dip/Chin Assist	Pulldown
	Cable Crossover	Cable Crossover	Pulldown	Pulldown	Longpull	Pulldown	Pulldown	Pulldown	Pulldown	Tricep Pushdown	Tricep Pushdown
	Dip/Chin Assist	Pulldown	Adjustable Hi-Lo	Longpull	Cable Crossover	Longpull	Longpull	Longpull	Longpull	Longpull	Longpull
			Dip-Chin Assist	Cable Crossover	Hi/Lo Pulley	Adjustable Hi-Lo	Cable Crossover	Cable Crossover	Cable Crossover	Cable Crossover	Cable Crossover
							Hi/Lo Pulley	Dip/Chin Assist	Pulldown	Pulldown	Dip/Chin Assist
Longpull		•		•	•	•	•	•	•	•	•
Pulldown	••	••	••	•	•	•	•	•	••	•	•
Tricep Pushdown										•	•
Adjustable Hi/Lo Pulley			•		•	•	•	•	•		
Dip/Chin Assist	•		•	•			•	•		•	•
Cable Crossover**	•	•		•	•	•	•	•	•	•	•
Dimensions											
(LxWxH)	250 x 55 x 93 in	300 x 55 x 93 in	300 x 55 x 93 in	223 x 188 x 93 in	204 x 188 x 93 in	204 x 188 x 93 in	236 x 188 x 93 in	236 x 188 x 93 in	246 x 188 x 93 in	266 x 175 x 93 in	234 x 175 x 93 in
	635 x 140 x 236 cm	768 x 140 x 236 cm	768 x 140 x 236 cm	566 x 478 x 236 cm	518 x 478 x 236 cm	518 x 478 x 236 cm	600 x 478 x 236 cm	600 x 478 x 236 cm	625 x 478 x 236 cm	676 x 645 x 236 cm	595 x 445 x 236 cm
Warranty*											
Frame	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Parts (Mechanical & Electronic)	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Wear items	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month	6 month
Other (including Hand Grips, End	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Caps, Cables, Selector Pins, Shrouds)											
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

*Consult your Limited Warranty statement for covered items.

**Cable Crossover has two Adjustable Hi/Lo Pulley stations connected by an overhead beam with pull-up bar.

Modular System	CW2501	CW2502	CW2503	CW2504	CW2505	CW2912	CW2912
			⋳ <mark>╸</mark> ╅┷╼╣┍═ ╕ ╡ ╺┿╋╼╣┍═ ╋	╺ ╸┙╵ ┍┱ ╡ ╡ ┨ ┨ ┨	╺ ╡╵ ╼ ┯┯ ╺╪ <mark>┿</mark> ╼╝┍═		
Stack	8-Stack Multi-Station	8-Stack Multi-Station	8-Stack Multi-Station	8-Stack Multi-Station	8-Stack Multi-Station	12-Stack Multi-Station	12-Stack Multi-Station
Stations	Hi/Lo Pulley Pulldown - Pulldown Cable Crossover Tricep Pushdown - Longpull Dip/Chin Assist	Cable Crossover Longpull Triceps Pushdown Dip-Chin Assist Pulldown Pulldown Longpull	Hi/Lo Pulley Pulldown - Longpull Cable Crossover Tricep Pushdown - Longpull Dip/Chin Assist	Hi/Lo Pulley Pulldown - Longpull Cable Crossover Pulldown - Longpull Dip/Chin Assist	Hi/Lo Pulley Pulldown - Longpull Cable Crossover Pulldown - Longpull Hi/Lo Pulley	Dip/Chin Assist Tricep Pushdown - Longpull Cable Crossover Pulldown - Pulldown Cable Crossover Tricep Pushdown - Longpull Hi/Lo Pulley	Cable Crossover Triceps Pushdown - Longpull Adjustable Hi-Lo Pulldown - Pulldown, Cable Crossover - Longpull Triceps Pushdown - Dip-Chin Assist
Longpull	•		••	••	••		•
Pulldown	••	••	•	••	••	•	•
Tricep Pushdown	•	•	•	•		•	•
Adjustable Hi/Lo Pulley	•		•	•	••		•
Dip/Chin Assist	•	•	•	•		•	•
Cable Crossover*	•	•	•	•	•	•	•
Dimensions							
(LxWxH)	263 x 188 x 93 in	263 x 188 x 93 in	248 x 188 x 93 in	248 x 188 x 93 in	228 x 128 x 93 in	412 x 185 x 93 in	412 x 185 x 93 in
	669 x 478 x 236 cm	669 x 478 x 236 cm	630 x 478 x 236 cm	630 x 478 x 236 cm	570 x 300 x 236 cm	1047 x 470 x 236 cm	1047 x 470 x 236 cm
Warranty*							
Frame	10 years	10 years	10 years	10 years	10 years	10 years	10 years
Parts (Mechanical & Electronic)	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Wear items	6 month	6 month	6 month	6 month	6 month	6 month	6 month
Other (including Hand Grips, End Caps, Cables, Selector Pins, Shrouds)	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Labor	1 year	1 year	1 year	1 year	1 year	1 year	1 year

*Consult your Limited Warranty statement for covered items.

*Cable Crossover has two Adjustable Hi/Lo Pulley stations connected by an overhead beam with pull-up bar.

Modular Station	Longpull Pulldown		Tricep Pushdown	Adjustable Hi/Lo Pulley	Dip/Chin Assist
			<u></u>		
Weight Stack	250 lbs / 113 kg	250 lbs / 113 kg	200 lbs / 91 kg	200 lbs / 91 kg	150 lbs / 68 kg



Fitness Made Personal

PRECOR USA

Precor Incorporated 20031142nd Avenue NE P.O. Box 7202 Woodinville, WA 98072-4002 United States of America T: +1 (0) 425-486-9292 F: +1 (0) 425-486-3856 E: commsls@precor.com www.precor.com

PRECOR FRANCE

Amer Sports France

80 rue CONDORCET

CS 80612 VAULX MILIEU

F: +33 (0) 4 74 99 1516

E: info@precor.fr

www.precor.fr

38096 VILLEFONTAINE CEDEX

FranceT: +33 (0) 4 74 99 0843

PRECOR AUSTRALIA

Amer Sports Pty Ltd 18-20 Lakewood Blvd P.O. Box 333 Braeside, Victoria 3195 Australia T: +61 3 85 86 6666 F: +61 3 9587 2289 E: precorinfo.ap@precor.com www.precor.com

PRECOR GERMANY

Amer Sports Deutschland GmbH Parkring 15 D-85748 Garching Germany T: +49 (0) 89 89801-370 F: +49 (0) 89 89801-117 E: info@precor.de www.precor.de

PRECOR SPAIN

Amer Sports Spain S.A. Parque de Negocios Mas Blau, II C/ Conca de Barberà 4-6 El Prat de Llobregat ES-08820 Barcelona Spain T: +34 (0) 93-262-5100 F: +34 (0) 93-262-5101 E: info.spain@precor.com www.precor.com

PRECOR AUSTRIA

Amer Sports Austria GmbH Göllstraße 24 A-5082 Grödig ÖsterreichT: +43 (0) 6452 3900-991 F: +49 (0) 89 89801-117 E: precor.austria@amersports.com www.precor.at

PRECOR ITALY

Amer Sports Italia S.p.A. Via Priula 78 31040 Nervesa della Battaglia (Treviso) Italy T: +39 (0) 422 5291 F: +39 (0) 422 529199 E: info.precor.italia@amersports.com www.precor.it

PRECOR SWITZERLAND

Amer Sports SA Bachtalen 33 CH-6332 Hagendorn Switzerland T: +41 (0) 41 784 26 26 F: +41 (0) 41 784 26 27 E: schweiz@precor.com www.precor.ch

PRECOR BENELUX

Amer Sports Netherlands B.V.s Plesmanstraat 1 3833 LA Leusden Nederland T: 033 2030118 F: 089 89801-117 E: info@precor.nl www.precor.nl

PRECOR JAPAN

Amer Sports Japan, Inc. Precor Division Shinjuku Eastside Square 6F 6-27-30, Shinjuku, Shinjuku-ku, Tokyo 160-0022 Japan T:+81 (03) 6831 2712 F:+81 (03) 6831 2725 E: precorinfo.jp@amersports.com www.precor.com

PRECOR UK & EMEA

Amer Sports UK Ltd Theta Building Lyon Way Frimley Surrey GU16 7ER United Kingdom T: +44 (0) 1276-404900 F: +44 (0) 1276-404901 E: info@precor.com www.precor.com

PRECOR CHINA & APAC

Precor Asia Pacific 3F, Building 2 Lujiazui Century Financial Plaza 759 Yang Gao Road(S) Pudong New Area Shanghai, P.R. China 200127 T: +86 21 51165288 F: +86 21 51165299 E: precorinfo.ap@precor.com www.precor.com

PRECOR LATINOAMÉRICA

Av. Santa Fé # 495 Piso 15 Int 1 Col. Cruz Manca México, D. F. C.P. 05349 T: +52 55 9177 9100 F: +52 55 9177 9101 E: leopoldo.torres@amersports.com www.precor.com

PRECOR MIDDLE EAST

Precor Middle East RS Fitness LLC Office 913 Grosvenor Business Tower TECOM, Dubai UAE T: +971 4 4416721 E: info@precor.com www.precor.com

precor.com

Precor is a brand of Amer Sports Corporation. For more information please see www.amersports.com



© Precor Incorporated 2016. The information contained within this brochure is correct at the time of printing. Precor reserves the right to make any changes without prior notice. 15 July 2016